

INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1878.

A.

- Adair. See Michael.
- Ador, E., and J. Crafts, action of carbonyl chloride on toluene in presence of aluminium chloride, 405.
- Ador, E., and A. Riliet, action of carbonyl chloride on xylene in presence of aluminium chloride, 498.
- Ador, E., and A. Sauer, estimation of nitrogen in nitroglycerin in dynamite, 611.
- Ador. See also Friedel.
- Akroyd, W., transverse absorption of light, 101.
- Alander, B., production of potassium ferrocyanide from ammonium thiocyanate, 258.
- Albright, Morgan, and Woolworth, action of ethyl chloride on benzene in presence of aluminium chloride, 663.
- Alexejeff, W., action of hydrogen sulphide on propyl aldehyde, 132.
- Allen, A. H., carbolic acid powders, 1012.
- Allen, O. D., chemical constitution of hatchettolite and samarskite from Mitchell Co., N. Carolina, 206.
- Allihn, F., action of sulphuryl chloride on acetoacetic ether, 566.
- Amato, D., action of hydriodic acid on olivil, 681.
- Anschütz, R., action of chloranhydrides and anhydrides upon bibasic diatomic acids, 136.
- detection of small quantities of fluorene in presence of phenanthrene and anthracene, 985.
- diphenylene-ketone from anthraquinone, and pyro-condensation products, 983.
- monobromophenanthrene and phenanthrene dibromide, 984.
- Anschutz, R., and F. R. Japp, oxidation of phenanthrene-quinone by potassium permanganate, 511.
- Anschütz, R., and L. Kinnicutt, preliminary notice on phenyl-glyceric acid and related compounds, 981.
- — addition of hydrobromic acid by means of a solution of hydrobromic acid in glacial acetic acid, 879.
- Anschütz, R., and A. Schultz, a new apparatus for the determination of high melting points, 3.
- Anschütz, R., and G. Schultz, on the action of bromine upon halogen substitution-products of aniline, 49.
- Ayrton, W. E., and J. Perry, the theory of voltaic action, 363.
- Arata, P. N., examination of the "gum" of the Quebracho Colorado (*Loxopterigium Lorentii*, Griesbach), 986.
- note on the wax contained in the leaves of *Ilex Paraguayensis*, 324.
- tannin of *Ilex Paraguayensis*, 581.
- Armsby, H. P., the absorptive power of soils for bases, 913.
- Arzruni, A., the influence of temperature on the coefficients of refraction of the natural sulphates of barium, strontium, and calcium, 189.
- Atterberg, A., decomposition of wood-tar at a red heat, 862.
- fluoranthene, 889.
- naphthalene chloride, 887.
- terpenes of Swedish wood-tar from *Pinus sylvestris*, 79.
- Atterberg, A., and O. Widman, new chloronaphthalenes, 321.
- Aumann, J. H. S., analysis of tabascheer from Sumatra, 945.
- reduction of magnesium from its oxide by metallic aluminium, and production of artificial spinelle, 933.

B.

- Baessler, P., action of ethyl chloro-carbonate on cyanamide, 214.

- Baeyer, A., regularity of melting points of homologous compounds, 3.
 — synthesis of indigo-blue, 884.
 — synthesis of isatin and indigo-blue, 884.
 — synthesis of oxindol, 587.
 Baeyer, A., and J. B. Burkhardt, diimidophthalein of phenol, 866.
 — — dioxymbenzophenone, 886.
 Baeyer, A., and C. Schraube, bromosoquinone, 869.
 Baker, H., on some thionates, 112.
 Balbiano, L., action of chlorine on butyric acid, 134.
 — β -chlorobutyric acid and some of its derivatives, 658.
 — sulphonic acids of normal butylbenzene, 314.
 Ballin. See Forerand.
 Ballo, analysis of the water of the Danube at Buda-Pesth, 480.
 Barbieri. See Schultze.
 Bardy, C., chrysoidin an antiphotogenic colour, 613.
 Barilari, S., formation of salicylate of iron, 317.
 — action of salicylic acid upon iron, 151.
 Barnes, P., cost of setting up a Siemens furnace, 456.
 Barsylowsky, J., meta-azotoluene, 300.
 Barth, L., thymol derivatives, 574.
 Barth, L., and G. Goldschmiedt, reduction of ellagic acid by zinc-dust, 733.
 Barth, L., and H. Weidel, action of hydrochloric acid upon resorcin, 61.
 Barth, M., invertin, 590.
 Baswitz, M., diastase, 903.
 Bauer, A., and J. Schuler, preliminary notice on the synthesis of pimelic acid, 294.
 Baumann, E., determination of sulphuric acid in urine, 682.
 Baumgartner, G., experiments on evaporation, 6.
 Baumhauer, H., leucite, 385.
 — signification of the rhombohedral and prismatic planes in quartz, 390.
 Bayley, T., colour relations of copper and its salts, 377.
 Béchamp, A., new researches on the function of mildews and their property of inverting cane-sugar, 444.
 Béchamp, A., and G. Eustache, on certain modifications of the substance of eggs determined by fungoid growths from without, 83.
 Béchamp, J., action of anhydrous acids on anhydrous bases, 108.
 Beck, C., dioxydiphenylmethane, 420.
 Beeke, F., crystallised vivianite in animal bones out of the Laibach Peatbog, 710.
 — the crystal-forms of tin-stone, 709.
 Becker, F., estimation of antimony, 753.
 — undecylenic acid, 853.
 Beckurts, H., and R. Otto, action of "molecular" silver on α -dichloropropionic acid, 290.
 — — α -dichloropropionic acid, 290.
 — — formation of α -dichloropropionic acid from pyroracemic acid, 488.
 — — α -monochloracrylic from α -dichloropropionic acid, 291.
 — — solid dichloropropionitril, 285.
 Bedson, P. P., three isomeric bromamidophenylacetic acids, 70.
 Beetz, W., electrochemical action on an aluminium anode, 2.
 Beilstein, F., action of chlorine on metachloracetanilide, 585.
 Beilstein, F., and A. Kurbatow, action of sulphuretted hydrogen on certain nitro-compounds, 139.
 — — dichloranilines, 299.
 — — nitration-products of symmetric dichloraniline, 974.
 Bell, I. L., separation of carbon, silicon, sulphur, and phosphorus in the refining and puddling furnace, 95.
 Bellamy, F., estimation of gases dissolved in water, 91.
 Bemmelen, J. M. v., the absorptive power of the soil, 598.
 Bender, R., on some mineral springs in the neighbourhood of Lake Laach, 18.
 Benedikt, R., action of bromine on phloroglucin, 499.
 — mononitropyrocatechin, 575.
 Benedikt. See also Weselsky.
 Benzinger. See Michaelis and Kämmerer.
 Berger, J., ethers of terephthalic acid, 152.
 Berggren, F., conductivity of electrolytes, 101.
 Berglund, E., amidosulphonic acid, 643.
 Bernard. See Livon.
 Bernhard, C., the formation of sugar in the liver, 82.
 Bernthsen, A., action of phosphorus pentasulphide on acid amides, 585.
 — amidines and thiamidines of monobasic organic acids, 788.
 — thiamides of monobasic organic acids, 70.

- Bernthsen, A., and H. Klinger, sulphine compounds of thiocarbamide, 569.
- Bert, P., action of oxygen on anatomic elements, 594.
- employment of compressed oxygen in physiological investigations, 236.
- Berthelot, action of alcoholic potash on chloroform, 283.
- action of oxygen on the acid chlorides and analogous compounds of phosphorus and arsenic, 696.
- action of oxygen on the haloid compounds of tin, silicon, and boron, 636.
- apparatus for measuring the heat of vaporisation of liquids, 106.
- determination of the heat of fusion, 106.
- formation of hydrogen peroxide, ozone, and persulphuric acid, 372.
- function of auxiliary acids in etherification, 765.
- hydrates of the hydracids, 363.
- influence of pressure on chemical phenomena, 8.
- observations on the mechanism of chemical reactions, 8.
- observations on the principle of maximum work, and on the spontaneous decomposition of hydrated barium dioxide, 107.
- on a liquid contained in an ancient glass vase, 268.
- on some melting points, 263.
- on the limits of etherification, 127.
- on the rotary power of meta-styrolene, 296.
- on the temperature of combustion, 5.
- persulphuric acid, a new oxygen acid of sulphur, 469.
- reduction of the aromatic hydrocarbons, 48.
- relative affinities and reciprocal displacements of oxygen and the halogens in metallic compounds, 634.
- specific heat and heat of fusion of gallium, 556.
- stability of ozone, 371.
- the chemical reactions of the electric spark in the formation of persulphuric acid, 554.
- thermochemistry of aluminium compounds, 548.
- use of bromine in gas-analysis, 91.
- Bertin, optical structure of ice, 632.
- Bertrand, E., leadhillite from Matlock, 382.
- Berwerth, F., investigation of two magnesia micas, 478.
- Bibra, E. v., cleaning of old oil paintings, 260.
- restoration of writing in old manuscripts, 260.
- seasoning of new wine-casks, 454.
- Bieber, J. D., tests for oil of almonds, 343.
- Biedermann, R., red coloration of yellow tiles, 251.
- Biefel. See Poleck.
- Billings, G. H., properties of alloys of iron with other metals, 839.
- Bischhof. See Wallach.
- Bischoff, C., cohesive power of clays, 536.
- Bissell, E. G., some constituents of hops, 328.
- Bleekrode, L., electrical conduction and electrolysis of chemical compounds, 464.
- Blenkenhorn, E., action of thiocyanic acid on alcohols, 215.
- Blitz, E., detection of the oxygen-acids of iodine in nitric acid by sulphuretted hydrogen and starch-solution, 243.
- Blyth, A. W., transformation of albuminoids of cheese and milk into fats, 680.
- Boehm, J., blanching of green leaves in bright sunshine, 238.
- composition of gases contained in the cells of wood, 802.
- elimination of oxygen from green twigs, under boiled water in sunlight, 162.
- formation of starch in the cells of plants excluded from light, 84.
- Bogsmoleta, preparation of trimethylene bromide, 963.
- Bohlig, E., purification and analysis of water, 920.
- magnesia preparations for purifying potable waters, 350.
- Boisbaudran, L. de, alloys of aluminium and gallium, 704.
- equivalent of gallium, 646.
- Boisbaudran, L. de, and E. Jungfleisch, extraction of gallium, 374.
- — gallium, 556, 837.
- Bolton, H. G., action of iodine, &c., on natural sulphides, 940.
- Bondonneau, L., iodide of starch, 22.
- Bong, G., a chromium blue, 618.
- analysis of silicates, 915.
- manganese blue, 558.
- methods for the analysis of silicates by means of oxide of lead, 336.
- Bonney, the Iherzolite or olivine-rock of the Ariège (Pyrenées), 280.
- Bontroux, L., lactic fermentation, 566.

- Borchers, W., a new method for estimating carbon dioxide in mineral waters, 917.
- Boricky, E., perowskite as a microscopical constituent of Bohemian nepheline-picrite, 279.
- Bornemann, W., on iodine chloride, iodine bromide, and bromine chloride, and their reactions with water, 10.
- Böttger, R., behaviour of iodine to amidomercuric chloride, and on a safe method of preparing iodide of nitrogen, 199.
- behaviour of phosphorus to various metallic solutions, 645.
- behaviour of wool to an ammoniacal solution of fuchsine, 184.
- change of colour in certain double iodides, 112.
- detection of cotton in linen stuffs, 918.
- preparation of cuprous chloride, 113.
- preparation of platinum-black, 114.
- Böttger, C., a base, $C_{19}H_{18}N_2$, 506, 723.
- acetylene-carbamide, 295.
- action of sulphuryl chloride on aniline, 863.
- action of sulphuryl chloride on benzene, 863.
- aniluvitonic acid, 673.
- pyruvic acid, 31.
- sulphoparabromobenzoic acid, 729.
- Bourée, toughened glass, 99.
- Bourgoin, E., dipyrotartracetone, a product of the action of heat on tartaric acid, 488.
- formation of allylene from bromocitrapyrotartaric anhydride, 126.
- solubility of organic acids in alcohol and ether, 721.
- solubility of salicylic and benzoic acids, 879.
- the action of bromine on pyrotartaric acid, 29.
- Boussingault, carburization of nickel by cementation, 472.
- chrome steel, 772.
- Bradbury, W. A., determination of sulphur in coke, 1005.
- Brandenburg. See Brunner.
- Brauner, B., atomic weight of glucinum, 704.
- direct conversion of isobutyl iodide into trimethylcarbutylamine, 779.
- Bräuning, copper extraction at Oker in the Hartz, 815.
- Bräuninger, W., derivatives of Rhenish beechwood creasote, 146.
- Breitenloder, silicatisation of the soil, 456.
- Breuer, A., and T. Zincke, action of dilute sulphuric acid on hydrobenzoïn and isohydrobenzoïn, 320.
- hydrocarbon from styrolene alcohol, 889.
- styrolene alcohol, 885.
- Brieger, L., volatile constituents of human excrement, 437.
- Britton, B., composition of flue-dust from furnace, 354.
- Brown, J. C., composition of honey, 969.
- Brücke, E., contributions to chemical statics, 106.
- the absorption-spectrum of potassium permanganate, and its application to chemical analysis, 242.
- Brügelmann, G., calcium, strontium, and barium oxides in the crystalline state, 471.
- crystallised zinc oxide, 771.
- lime, strontia, and baryta in the crystalline state, 770.
- Brunatelli, J., a lecture experiment, and a means of quickly evaporating large quantities of liquid, 634.
- Brunner, H., and R. Brandenburg, action of sodium on monochlorethylene chloride, 211.
- formation of naphthalene and methyl violet, 667.
- methyl-violet and diphenylamine blue, 313.
- Brund, H. D., the chemical character of silaonite from Guanajuato, Mexico, 940.
- Bruylants, G., essence of tansy, 157.
- products of the dry distillation of calcium pimarate, 504.
- researches on essence of valerian, 799.
- proximate composition of certain volatile oils, 512.
- Bubnoff, S., the relation between nitrogen and phosphoric acid in Russian wheat and rye, 908.
- Buchanan, J. Y., the gases dissolved in sea-water, 197.
- Buchner, M., amount of tartar in wines, 822.
- kaiser-oil, 623.
- wine analyses, 345.
- See also Fittig.
- Buckney, E., azo-compounds of nitroparatoluidine, 863.
- Buff, H., rock-crystal weights and measures, 769.
- thermal conductivity and diathermancy of air and hydrogen, 261.
- Bunte, H., determination of hydrogen in gas analysis, 808.
- Burcker, E., preparation of the double carbonate of uranium and ammonium,

and separation of iron and uranium, 771.

Burg. See Liebermann.

Buri, E., elemic acid, contribution to the chemistry of Elemi, 439.

— etheral oil of *Thymus serpyllum*, 792.

— testing for morphine, 755.

Burkhardt, G. A., oxyterephthalic acid, 73.

Burkhardt. See also A. Baeyer.

Busch, J., action of potassium cyanide and of alcoholic potash on acetylchloral-alcoholate and tetrachlorether, 487.

Busch, W. C. A., the constituents of *Podophyllum peltatum*, 325.

Busse, E., analysis of nickel and bronze money, 337.

Butlerow, A., isodibutylene, 121.

Butlerow, A., and Wischnegradsky, quinine and cinchonine, 988.

Byasson, Maté or Paraguay tea, 440.

— trichloroacetal, 966.

C.

Cahours, A., and E. Demarçay, action of dehydrated oxalic acid on primary, secondary, and tertiary alcohols, 653.

Cailletet, liquefaction of acetylene, 20.

— liquefaction of carbon dioxide, 10.

Calliers. See Claus.

Calmborg, K., testing of red wine, 93.

Cameron, C. A., estimation of lead as iodate, 1010.

Campani, G., preliminary note on amyl hippurate, 673.

Caplan, analysis of American moulded glass, 683.

Carnot, A., presence of lead in nitrate of bismuth, 473.

— volumetric estimation of potash, 448.

Caro, H., and C. Graebe, rosolic acid and rosaniline, 794.

Cassamajor, amalgamation of iron and some other metals, 474.

Casson-Dermoy's puddling furnace, 456.

Cazin, A., spectrum produced by the electric spark in a compressed gas, 357.

Cech, C. O., action of trichlorolactic acid on urea, 852.

— chloral hydrate, 22.

— decomposition of taurine during the digestive process in birds, 82.

— dichloroacetanilide, 50.

Cech, C. O., addition of hydrogen cyanide to benzoylanilide, 408.

— kisjak, a fuel used in the south of Russia, 919.

Cech, C. O., and B. Dehmel, conversion of cyanamide into ammeline, 395.

Cech, C. O., and P. Schwebel, peculiar formation of phenyl isocyanide, 216.

Chancel, G., researches on azotized acenes derived from the acetones, 964.

Cheney, Margaret S., and Ellen S. Richards, a new and ready method for the estimation of nickel in pyrrhotites and mattes, 244.

Chester, A. H., artificial crystals of gold, and gold amalgam, 938.

— note on the crystallisation of variscite, 651.

Chittenden. See Johnson.

Christenn, S., on the present method of analysing milk, with especial reference to cows' and human milk, 248.

Christomanos, A., heat of absorption of hydrogen chloride by water: a lecture experiment, 7.

Church, A. H., chlorophyll, 987.

Ciamiceian, G., distillation of some resins and resin acids with zinc-dust, 438.

Claassen, H., pentahalogen-compounds of resorcin and orcin, 867.

Claesson, P., action of potassium thiocyanate on compounds of monochloroacetic acid, 37.

Claisen, J., and J. Shadwell, conversion of acetyl cyanide into the corresponding ketonic-acid, 568.

Claisen, L., amides of phenylglyoxalic acid, 151.

Clarke, F. W., electrolytic method of estimating mercury, 916.

— iodates of cobalt and nickel, 377.

— some specific gravity determinations, 365.

— sylvenite from Grand View Mine, Colorado, 383.

Classen, A., dissolving ignited ferric oxide, 753.

Claus, A., action of potassium cyanide on dichloroacetic ether, 721.

— formation of dichloroacetic ether from chloral, 565.

— introduction of cyanogen groups into organic compounds, and decomposition of organic cyanides, 855.

Claus, A., and F. Calliess, potassium cyanide and ethyl dibromosuccinate, 566.

Claus, A., and Graeff, action of

- sodium-amalgam on α -nitronaphthalenesulphonic acid, 73.
- Claus, A., and R. Weiss, action of potassium cyanide on dichloroacetic ether, 565.
- Clermont, A., trichloroacetic anhydride, 401.
- Clermont, P. de, and Frommel, new method of separating arsenic from other metals, 608.
- Clermont, P. de, and H. Guiot, oxidation of metallic sulphides, 199.
- Cleve, P. T., derivatives of η -dichloronaphthalene, 736.
- on δ -nitronaphthylsulphonic acid, 676.
- naphthalene derivatives, 153.
- Clewing, C., compounds of pyrrolic acid with the sulphites of the alkalis and alkaline earths, 783.
- Cloez, S., formation of hydrocarbons by the action of water on carbide of iron and manganese, 716.
- nature of the hydrocarbons produced by the action of acids on white specular manganiferous cast iron, 481.
- on a glassy mineral which forms on the rocks of the Mediterranean coasts, 943.
- production of sodium carbonate by the action of magnesium carbonate on sodium chloride, 770.
- Colasanti, G., physiological action of curare-poison, 526.
- Coleman, J. J., constitution of malt liquors and their influence on digestion and nutrition, 905.
- spontaneous combustion of oil, wool-waste, &c., 258.
- Colombo. See Paternò.
- Conrad, M., action of sodium on ethyl ethoxyacetate, 403.
- diethyl acetosuccinate and derivatives, 137.
- metallo-aceto-acetic ethers, 26.
- synthesis of phenylated fatty acids, 732.
- synthesis of pyrotartaric acid from ethyl diacetate, 137.
- Conrad, M., and L. Limpach, an improved mode of preparing substituted acetoacetic ethers, 781.
- Contamine. See Corenwinder.
- Cooper. See Wanklyn.
- Coppola, M., electrolysis of glucosides, 677.
- Coquillion, J., action of aqueous vapour on hydrocarbons at a red heat, 773.
- occurrence of marsh gas in old coal pit workings, 843.
- Corenwinder, B., the chemical composition and function of leaves, 595.
- Corenwinder and Contamine, influence of leaves on the production of sugar in the beet, 997.
- Cornu, A., dark lines of the solar spectrum, and the constitution of the sun, 357.
- Cossa, A., analyses of periclase, 115.
- chemical researches on the minerals and rocks of the Island of Vulcano, 952.
- molybdenite from Biella, 558.
- Counciler, C., boric ethers, 21.
- boron compounds, 774.
- Courtonne, H., solubility of sugar in water, 21.
- Coutejean, C., presence of sodium in plants, 681.
- Crafts. See Friedel and Ador.
- Credner, H., a new locality for alunite, 477.
- Crozet, occurrence of tinstone at Truro, 207.

D.

- Dalc, R. S., and C. Schorlemmer, aurin, 671.
- isodulcite, 969.
- Dalmer, C., the felspar pseudomorphs of the Wilhelmsleite, near Ilmenau, 948.
- Dana, E., occurrence of garnet in the trap rocks of New Haven, Connecticut, 386.
- Danilevsky, on albumin, 989.
- David, J., method of separating and determining stearic and oleic acids produced by the saponification of fats, 1011.
- Davis, G. E., composition of vitriol from denitrating and absorbing towers, 614.
- estimation of nitrogen-compounds in oil of vitriol, 605.
- nitric acid in the vitriol manufacture, 615.
- Davy, C. A., and E. W., action of heat on ammonium selenate, 933.
- Davy, E. W., action of chlorine on the nitroprussides, 965.
- new test for phenol, 809.
- Debray, H., a new product of the oxidation of lead and some phenomena of dissociation, 473.
- Debray. See also Deville.
- De Chancourtis, on native iron, 475.
- Debrunner, H. G., nitrobenzene in spirituous liquors, 542.

- Degener, P., action of fused alkalis on benzene-sulphonic acid, 865.
 — volumetric determination of phenol, 918.
- Dehmel. See Cech.
- De la Loyère and Muntz, preparation of sulphuretted oils having insecticide properties, 825.
- Declesse, A., the deposits of calcium phosphate in Estremadura, 476.
- Demarçay, E., derivatives of ethyl isobutylacetylacetate, 660.
 — ethyl isobutylacetylacetate, 661.
- Demarçay. See also Cahours.
- Demole, E., experiments and theory on the change of $\text{CHBr}=\text{CHBr}$ by means of oxygen into $\text{CH}_2\text{Br.COBr}$, 847.
 — formation of acid bromides by the addition of oxygen to brominated olefines, 401.
 — formation of ethers at low temperatures by means of hydrochloric acid, 20.
 — notes on tartaric acid, 34.
- Demole, E., and H. Dürr, oxidation of unsaturated chloro- bromo- and chlorobromo- substituted hydrocarbons, 846.
- Dépierre, J., coloured printing on cottons dyed with indigo, 455.
- Descamps, A., the metallic arsenides, 705.
- Descloizeaux, A., crystalline form and optical properties of mercurous iodide, 474.
- Deshaye, V., estimation of manganese in iron, steel, &c., 808.
- Desprieres, W., Tatarinoff, and A. Scheurer, use of chromium chlorate in cotton printing, 824.
- Destrem, A., action of benzoyl chloride on leucin, 506.
- Destrem. See also Frebault.
- Deville, H. Sainte-Claire, Gay-Lussac's law of volumes, 264.
- Deville, H. Sainte-Claire, and H. Debray, a new compound of palladium, 650.
- Diehl, T., chlorine and bromine derivatives of anthracene and anthraquinone, 429.
 — halogen derivatives of alizarin, 428.
- Diehl, T., and V. Merz, derivatives of α -naphthaquinone, 888.
 — derivatives of naphthaquinone, 322.
 — dibromonaphthaquinone and bromoxynaphthaquinone, 736.
 — oxyquinones and resorcin derivatives, 875.
- Diehl. See also Vintschgau.
- Dieulaufait, M. L., boric acid, 11.
- Ditte, A., some properties of boric acid, 194.
- Dittmann. See Wolff.
- Doebner, O., formation of dyes by the action of benzoyl trichloride on phenols and tertiary aromatic bases, 873.
 — synthesis of oxyketones, 424.
- Doebner, O., and W. Stackmann, benzoylphenol, 321.
- Doelter, C., contributions to the mineralogy of the Fassa- and Fleimserthal, 390.
 — the eruptive formation of Fleims, with some remarks on formations of the older volcanoes, 480.
- Donath, E., remarks on Barth's "Research on Invertin," 802.
- Dorp. See Hoogewerff.
- Douglas, T., use for a constituent of gas-lime, 624.
- Dragendorff, analysis of the bulbs of *Erythronium dens canis*, 904.
 — comparative analyses of rhubarb, 624.
 — constituents of ergot, 518.
 — theobromine, 903.
- Dragoumis, E. J., a new method of determining temperatures, 3.
- Draper, H., existence of oxygen in the sun, and a new theory of the solar spectrum, 101.
- Drechsel, E., some new carbonates, 44.
 — two new modes of formation of cyanamide, 39.
- Drechsel, E., and H. Möller, carbo-comenic acid and the ether of carbo-gallic acid, 784.
- Duclaux, E., surface-tension of aqueous solutions of alcohols and fatty acids, 195.
 — tension of the vapour given off by a mixture of two liquids, 549.
- Dufet, H., variation of the indices of refraction in mixtures of isomorphous salts, 631.
- Dumas, J., presence of oxygen in metallic silver, 377.
- Dunin, M., coloration of peppermint-oil by chloral hydrate, 344.
 — examination of flour, 348.
- Dupré, A., detection of alum in flour, 915.
 — researches on gallium, 472.
 — substitution of oxygen for sulphur in the fatty acids, 568.
- Durand, L., resorcin-dyes, 455.
- Durant, on gallein and corulein, 924.
- Durham, W., suspension, solution, and chemical combination, 636.
- Dürr. See Demole.

- Duvillier, E., normal ethyloxybutyric acid and its derivatives, 489.
 — normal methyloxybutyric acid and derivatives, 662.
 Dyckerhoff, R., economical value of various hydraulic cements, 813.

E.

- Ebell, P., crystallisation of metallic oxides from glass, 97.
 — glass containing alkaline bases only, 689, 758.
 Ebell. See also Knapp.
 Ebermayer, E., carbonic anhydride in soils, 1001.
 — electro-gilding by means of potassium ferrocyanide, 178.
 — pathology of fruit-trees, 163.
 Eder, J. M., action of ferricyanides on metallic silver, 35.
 — solubility of silver salts, 379.
 — estimation of tannin in tea, 918.
 Eckstrand, A. G., a trinitronaphthol, 508.
 — hydroquinone-phthalein, 675.
 — retenesulphonic acid, 155.
 Ehrhardt, W., and E. Fischer, ethyl-derivatives of phenyl-hydrazin, 573.
 Eitner, W., the influence of the constituents of waters on tanning, 259.
 Elsässer, E., electrolysis with evolution of hydrogen at both poles, 545.
 Eltekoff, action of sulphuric acid on mixed ethers, 129.
 — constitution of amylene from fermentation amyl alcohol, 126.
 — synthesis of olefines, 482.
 — the order in which the separation of the elements of the hydracids takes place in the haloïd-derivatives of the olefines, 563.
 Engström, N., analyses of orthite, vasite, erdmannite, tritonite, and aeschinite, 115.
 Erhart, C., some colouring matters derived from phenol, rosolic acid, aurin, corallin, and azurin, 315.
 Erlemeyer, E., behaviour of acrylic acid when fused with alkalis, 662.
 — preparator of ethylene and ethylene-compounds, 845.
 — studies on the phosphates, 269.
 Etard, A., double-compounds of metallic sesquisulphates, 838.
 — preparation of amylene, 392.
 Etti, C., bixin, 739.
 — tannin and bitter principle of hops, 797.

- Eustache. See Béchamp.
 Exner, F., and G. Goldschmidt, influence of temperature on the electric conductivity of liquids, 830.

F.

- Fabinyi, R., diphenolethane, 430.
 Fahlberg, C., and M. W. Iles, new method for estimation of sulphur, 1005.
 Farsky, F., compounds of salicylic with albuminoids, 224.
 — estimation of atmospheric carbonic acid at Tabor, Bohemia, in 1874 and 1875, 164.
 Feder, L., elimination of ammonium chloride in the urine, 237.
 — separation of ammonium chloride in the urine of the dog, 993.
 Feuerbringer, P., detection of mercury in urine, 1010.
 Field, F., a variety of cronstedite, 480.
 Finkler, D., production of heat in warm blooded animals, 519.
 Fischer, E., chlorine compounds of naphthalene, 888.
 — chloro-derivatives of naphthalene, 676.
 — ferrocyanides of the amine bases, 407.
 — hydrazine compounds, 302.
 Fischer, E. and O., aurin, 576.
 — rosaniline, 573, 791.
 Fischer, F., burning of bricks in annular kilns, 690, 761, 921.
 — cleansing of towns and contamination of rivers, 813.
 — on the conditions required in water intended for household use, 456.
 — purification of water for boilers, 168.
 Fischer. See Ehrhardt.
 Fischer, O., condensation-products of tertiary aromatic bases, 51.
 Fischer, O. See also E. Fischer.
 Fischli, H., constitution of the dioxybenzenes, 866.
 Fittica, F., a nitrobenzaldehyde corresponding with the nitrobenzoic acid melting at 127°, 65.
 — the lemon-yellow nitro-benzoic acid, 980.
 Fittig, R., and E. Buchner, chlorobromaniline, 50.
 — decomposition of parabromaniline by heat, 50.

Fittig, R., and F. Gebhard, fluoranthrene, a new coal-tar hydrocarbon, 431.
 Fitz, A., schizomycetic fermentations, 241.
 Flavitzky, oxidation of the amyl glycol $(\text{CH}_3)_2\text{C}(\text{OH})\cdot\text{CH}(\text{OH})\cdot\text{CH}_3$, 564.
 — propylglycol, 965.
 Flavitzky and Kriloff, oxidation of the valerylene, $(\text{CH}_3)_2\text{CH}\cdot\text{C}\equiv\text{CH}$, 561.
 — — — valerylene from isobutylcarbinol, 20.
 Fleischer, A., distillation-products of xanthates, 29.
 Fleury, G., contributions to volumetric analysis, 91.
 Flückiger, F. A., an indifferent crystalline resin from gurjun balsam, 439.
 — note on the saponin of sarsaparilla, 327.
 — — — quinine, 588.
 Flügge, C., chemical changes in the liver, 160.
 Forcrand and Ballin, production of ultramarine of different metals, 935.
 Forssmann, L. A., the electrical resistance of selenium, 360.
 Förstner, H., the sodium felspar of Pantellaria, 388.
 Fox, A. C., insoluble gum for envelopes, &c., 923.
 Fraas, A., vivianite as a petrifying medium, 711.
 Francis, G., a poisonous Australian lake, 907.
 Frebault, A., and A. Destrem, action of neutral sodium phosphate on insoluble carbonates, 113.
 Freda, P., researches on the nature of the tannin of gallnuts and on a crystalline substance formed by the action of arsenic acid on gallic acid, 673.
 Frémy, E., sulphuric saponification, 922.
 Frémy and Feil, production of artificial corundum, ruby, and different crystallised silicates, 203.
 Frenzel, A., mineralogical notes from the East Indian Archipelago, 708.
 Frerichs, F., didymium and lanthanum, 934.
 Frerichs, F., and F. Smith, compounds of didymium and lanthanum, 647.
 Fresenius, R., analysis of the water of the warm spring at Assmannshausen, 209.
 — chemical examination of the warm wells of Schlangenbad, 715.
 — estimation of copper and sulphur in iron pyrites, 529.

Friedel, A., synthesis of benzoic acid and benzophenone by the aid of carbonyl chloride, 317.
 Friedel, Crafts, and Ador, synthesis of benzoic acid and benzophenone, 69.
 Friedel, C., and J. M. Crafts, synthesis of benzoic, benzene-sulphinic, and benzoylbenzoic acids, 792.
 — — — direct union of oxygen and sulphur with benzene and toluene, 670.
 Frommel. See Clermont.
 Fronmüller, C., double salts of thallous cyanide, and a new thallium cyanide, 395.
 Fudakowski, H., derivatives of milk sugar, 777.
 Funaro, A., mother-liquors of the brine springs of Volterra, 652.
 Funke. See Wolff.
 Fürbringer, P., elimination of oxalic acid in the urine, 162.

G.

Gabriel, S., and A. Michael, action of dehydrating agents on anhydrides, 229, 426, 734.
 Gaiffe, A., drawing of fine platinum wires, 178.
 — electro-deposition of cobalt, 1019.
 — note on a new dioxide of manganese cell, 633.
 Galloway, R., extraction of iodine and bromine from kelp, 1017.
 Gallus, L., glaze for cooking vessels, with and without lead, 814.
 Gard, W. E., cast nickel; combining of carbon and silicon with nickel, 376.
 Garnier, J., garnierite, 480.
 Garnitsch-Garnitzky, action of carbonic oxide on aniline, toluidine, acetylene, &c., 217.
 Garside, T., mending platinum crucibles, 1020.
 Gaudin, structure of some minerals, 843.
 Gautier, A., catechins from Gambir, 515.
 — colouring matter of wines, 987.
 — constitution of the catechins, 64.
 — the ferruginous colouring matter of red wines, 904.
 Gawalowski, A., direct estimation of gold in antimony regulus in presence of arsenic, copper, iron, and zinc, 245.
 Geary. See Roswag.

- Gebhard. See Fittig.
- Geissler, E., estimation of acids in oil, 534.
- Genth, F. A., an analysis of Siberian volborthite, 382.
- calaverite, 383.
- coloradoite, a new mineral, 383.
- native tellurium in Colorado, 383.
- tellurite, 709.
- Genth, W., new method of photographic enlargements, 456.
- Gerichten, E. v., chlorocymene from thymol and nearly related bodies, 570.
- chloronitro-cymene, bromonitro-cymene, and so-called solid nitro-cymene, 787.
- cymene-derivatives, 49.
- Gerichten, E. v., and W. Rössler, Fittica's oxyparatoluic acid, 672.
- Gerland, B. W., analysis of vanadium sulphates and double sulphates (alkaline), 244.
- heating power of brown coal, 349.
- some presumably new earths, 934.
- sulphates of vanadium pentoxide, 375.
- sulphates of vanadium tetroxide, 271.
- use of vanadium for the titration of permanganate, 244.
- Gernez, D., ebullition of superposed liquids, 364.
- Gerrard, F. W., alkaloid of Duboisia myoporoides, 589.
- Geyer. See Morton.
- Giesel, F., plastilina, 454.
- Gilbert, J. H., and J. B. Lawes, on the composition of potatoes, 999.
- Gilm, H., the flame reaction of boric acid as a lecture experiment, 645.
- Girard, A., estimation of reducing sugar in commercial products, 166.
- Gladstone, J. H., candles altered by long exposure to sea-water, 660.
- on some points connected with the chemical constituents of the solar system, 189.
- Glaserapp, notes from the laboratory of the Riga Polytechnic, 535.
- Gnehm, R., and G. Wyss, derivatives of diphenylamine, 52.
- Godeffroy, R., distinctive tests for cinchona alkaloids, 344.
- Göring, T., parabromometasulphophenyl-propionic and metasulphopropyl-propionic acids, 318.
- Götter, H., and A. Michaelis, action of water on phosphenyl chloride; a phenylated solid phosphuretted hydrogen, $C_6H_5P_4H$, 723.
- Göttig, C., a new ether of glycerin, 317.
- Goldschmidt, A., ethylidene-imido-silver nitrate, 965.
- Goldschmidt. See also Exner and Liebermann.
- Goldschmidt, G., decomposition of brassic acid by caustic potash, 28.
- idryl, 155.
- products of the decomposition of a gum-ammoniac resin from Morocco by fusion with potash, 738.
- Goldschmidt, G., and H. Weidel, quassia, 80.
- Goldschmidt. See also Barth and Weidel.
- Gorceix, A., some Brazilian minerals (euclase, andalusite, tourmalines), 118.
- Gorup Besanez, E. v., analysis of the water of the Schönbornsquelle at Kissingen, 843.
- Gossmann. See Wallach.
- Gouillon, F., aniline black by means of vanadium, 454.
- Gouy, transparency of coloured flames, 629.
- Govi, G., on the law of absorption, and its employment in quantitative spectrum analysis, 190.
- Grabowski, J., compounds of naphthalene with chloral, 508.
- Gradmann. See Michler.
- Graebe. See Caro.
- Graeff. See Claus.
- Gramp, F., combustion of zinc and cadmium as lecture experiments, 110.
- Grandcau, L., influence of atmospheric electricity on the nutrition of plants, 908.
- Gratama, W. D., estimation of glucose, 611.
- Grattarola, G., hydrocastorite, a new mineral, 119.
- Grawitz, S., aniline black, 824.
- nitro-derivatives of alizarin, 737.
- Greene, W. H., decomposition of ethyl alcohol by zinc chloride at high temperatures, 655.
- new mode of formation of ethyl oxide, 656.
- Grehant, W., absorption of carbon monoxide by the blood, 994.
- Grete, E. A., potassium xanthate as a means of determining quantitatively carbon bisulphide, copper, and caustic alkalis in presence of alkaline carbonates, 341.
- Grete. See also Zoeller.
- Griess, P., estimation of nitrous acid by means of metadiamidobenzene, 605.
- orthazobenzoic acid, 150.
- Griessmayer, V., estimation of glycerin and hop-resin in beer, 449.
- on the acidity of beer, 541.

- Grobe, C., a gas generator, 349.
 Groscheintz, H., preparation of methyl allyl, 562.
 — new mode of preparation of allyl bromide, 963.
 Gross, T., the electrolytic conductivity of solid salts, 363.
 Grossman, J., indirect estimation of hyposulphites (thiosulphates) and sulphites, 1006.
 Gruber. See Musculus.
 Grützner, P., formation and secretion of ferments, 441.
 Gscheidlen, R., estimation of sugar in milk, 345.
 — preparation of blood crystals, 518.
 Guareschi, I., abnormal vapour-densities, 194.
 — action of sodium on tetrachloromethane and bromobenzene, 126.
 — asparagine derivatives, 138.
 — carbathialdine and other sulphur compounds, 857.
 Gumbel, C. W., Japanese porcelain earth, 559.
 Günsberg, R., combustion of the volatile petroleum hydrocarbons in oxygen, 916.
 — purification of water containing magnesia, 920.
 — colorimeter for determining the colour-intensity of liquids, 914.
 Günther, C., a simple method of observing the reversed lines of spectra, 463.
 Guimet, E., the formation of ultramarines and their colorations, 198.
 Guiot. See de Clermont.
 Gukassianz, P., action of oxalic acid on resorcin, 979.
 — formation of aurin, 979.
 Gundelach, C., a diatomic phenol of xylene, 61.
 Gunning, J. W., experiments on anaërobiosis with putrefaction bacteria, 907.
 — on media free from oxygen, 267.
 Gustavson, G., action of aluminium iodide on various organic compounds containing chlorine, 211.
 — action of bromine on cymene, 49.
 — action of bromine in presence of aluminium bromide on the homologues of benzene, 972.
 — preparation of pentabromotoluene, 48.
 Guyard, A., synthesis of phthalic acid, 796.

H.

- Haberlandt, F., cultivation of the rough-haired soja-bean (*Soja hispida*, Mönch), 87.
 Haberlandt, F., effect of frost on flax seeds, 802.
 Habermann, J., dimethylhydroquinone derivatives, 728.
 Hässelbarth, P., the best form of nitrogenous food for barley, 805.
 Hagen, H., estimation of salicylic acid, 247.
 — is beer containing buxine to be regarded as a tulterated? 456.
 — new method for the gravimetric estimation of glucose and of mercury, 246.
 Hagen. See also Müller.
 Hager, insecticidal constituents in the flowers of *Pyrethrum corneum* and *roseum*, 826.
 Hammarsten, O., lactoprotein, 235.
 Hammerschlag, W., anthraquinone-, oxyanthraquinone-, and alizarin-carbonic acids, 323.
 — brominated derivatives of anthracene, 76.
 Hampe, W., on the determination of cuprous oxide in copper, 608.
 Handl, A., and Pribram, R., determination of boiling-points, 633.
 Hanhardt. See Michler.
 Hankel, W., photoelectricity of fluor-spar, 2.
 Hannay, J. B., action of iodine trichloride on carbon bisulphide, 833.
 — bowlingite, a new Scottish mineral, 15.
 — new minerals from the collection in the University of Glasgow, 15.
 Hanriot, an isomeride of monochlorhydrin, 657.
 — derivatives of glycerin, 656.
 — new method of preparation of isopropyl-glycol, 656.
 — trimethylglyceramine, 780.
 Hansel, V., rutile from Modriach, 944.
 Hardtmuth, F., ethyl α - β -dimethylacetosuccinate, and symmetrical dimethylsuccinic acid, 782.
 Hartmann, O., preparation of propyl glycol, 211.
 Hasse, G., action of carbon tetrachloride on substituted phenols in alcoholic solution, 415.
 Haugh, F., recovery of gold from toning baths, 178.
 Hautefeuille, P., artificial formation of albite and orthose, 205.
 — crystallisation of silica in the dry way, 645.
 — formation of quartz in the dry way, 704.
 — preparation of orthose, 15.
 Hayden, sonomaite, a new mineral, 384.

- Hebenstreet, C., the primary rocks of the Northern Schwarzwald, 208.
- Hecht, O., hexine from mannite, 717.
- oxidation of hexylene from mannite, 961.
- oxidation-products of β -hexyl iodide, hexylene bromide, and monobromhexylene derived from mannite, 844.
- Hecht, O., and J. Munier, oxidation of hexylene glycol from mannite, 966.
- Heddle, an analysis of a crystal of desmine of unusual form from the Faroe Islands, 278.
- Hehner, O., action of potassium chlorate on the system, 683.
- notes on water analysis, 334.
- Heiden, E., on the products of tissue-metamorphosis contained in the fæces of pigs, and their influence on the results of digestion experiments, 524.
- Heintz, W., butter analysis, 611.
- cause of the formation of vinyl-diacetonamine, 483.
- Heintz, E., detection of organic poisons, 613.
- Heintzel, C., cement testing, 617.
- Heinzelmann, G., derivatives of benzene-metadisulphonic acid, 409.
- Heisch, C., diseased milk, 684.
- Helm, O., chemical and physical properties of amber, 323.
- Hell, C., and O. Müllhäuser, a crystalline compound of bromine and acetic acid; acetic acid dibromide, 289.
- catalytic action of carbon bisulphide on mixtures of bromine and acetic or formic acid, 401.
- Hemilian, W., constitution of the hydrocarbon derived from chlorotriphenylmethane, 738.
- synthesis of diphenylene-phenylmethane and diphenylene-tolylmethane, 431.
- Hennig, R., preparation of artificial champagne, 542.
- preparation of black leather varnish and of varnished leather, 827.
- Henninger, A., researches on the peptones, 802, 989.
- Henry, L., constitution of diallyl, 962.
- dichloropropionic acid (a correction), 290.
- theory of the formation of ethers of organic acids by means of hydrochloric acid, 286.
- Hensgen, C., on Deacon's chlorine process, 551.
- Henze, A., peculiar oxidation of aluminium, 471.
- Hepp, E., a new mode of formation of hydroquinone, 62.
- Hepp, E., aldehyde compounds, 66.
- azophenetol, 59.
- Heraeus, W. C., determination of water and fat in milk, 755.
- examination of cinnamon and pepper, 823.
- Hermann, R., atomic volume and specific gravity of organic compounds, 637, 697.
- Herter, E., action of fused potash on glycerin, 966.
- Herwig, H., the movements of electrified mercury, 191.
- Herzfeld, H., derivatives of paroxybenzaldehyde, 65, 423.
- Hesse, O., alkaloids contained in the red poppy, 157.
- alkaloids of cinchona bark, 434.
- alkaloids of sabadilla seeds, 802.
- codeine reaction, 688.
- conchiline sulphate, 988.
- constituents of cinchona bark, eucconine, and aricine, 155.
- constituents of Pereiro bark, 433.
- cynanchol, 800.
- euphorbone, 800.
- on phlorose, 851.
- phytosterin and cholesterin, 850.
- the quinine of Henry and Delondre, 433, 801.
- Hesse, W., determination of carbon dioxide in air, 605.
- Hesse. See also Jobst.
- Hessert, J., phthalic aldehyde, 66.
- phthalide (phthalic aldehyde) and meconin, 419.
- Hétet, purification of the greasy water from surface condensers, 351.
- Heumann, Karl, silver-ultramarine, 113.
- Heyder, v., application of salicylic acid in domestic economy, 456.
- Hilger, A., analysis of a trachyte from Wolferdingen in the Westerwald, 208.
- mineral constituents of horse-radish, 1000.
- the brown coal of the Bauerberg, near Bischoffsheim vor der Rhön, 202.
- Hill, H. B., pyroxanthin, 517.
- Hill. See also Jackson.
- Hinman, C. W., volumetric determinations by chromic acid, 607.
- Hirschsohn, E., contributions to the chemistry of the most important resins, gums, and balsams, 158.
- Hirschwald, J., the growth and development of diamond crystals, 201.
- Hjelt, C., presence of arsenic in the sulphuric acid manufactured from arseniferous pyrites, and in the va-

- rious soda-salts manufactured from this sulphuric acid, 173.
- Hofmann, A., formation of hippuric acid in the kidneys, 442.
- Hofmann, A. W., a new dye-stuff, 78.
- colouring matters from pyrogallie ethers, 871.
- ethylic ethers of pyrogallie acid and the cediret of the ethyl series, 869.
- preparation of thiamides, 396.
- remarks on Bernthsen's paper on the action of phosphorus pentasulphide on acid amides, 585.
- tetraphenylmelamine, 300.
- triatomic phenols from beechwood tar, and the origin of cærolignone, 417.
- Hoffmann, E., on sodium compounds of salicylic acid, 499.
- testing orange-flower water, 542.
- Hofmann, P. W., spontaneous ignition by finely divided zinc, 769.
- Hofmeister, F., on amido-acids, 40, 42.
- on lactosuria, 442.
- Holdermann, E., presence of ammonia in tartrates, 92.
- Homann, F. W., quercite, a pentad alcohol, 399.
- Hommey, aniline-black by means of vanadium salts, 356.
- Hondart, E., analysis of French wines, 534.
- Hönig, M., dimethyl-resorcin derivatives, 727.
- estimation of ammonia by sodium hypobromite, 914.
- Hoogewerff, S., and W. A. van Dorp, oxidation of nitrogenous compounds by potassium permanganate, 297.
- — oxidation of nitrogenous compounds by potassium permanganate, 973.
- Hoppe, E., electrical resistance of flame, 2.
- Hornberger, R., estimation of alkalis on plant-ashes, 245.
- Hörstmann, A., constitution of the vapour of acetic acid, 852.
- relative affinities of hydrogen and carbon monoxide, 8.
- Houzeau, A., volumetric estimation of sulphates in potable waters, 1006.
- How, H., some American pyrrhotites and other minerals containing nickel, 475.
- How, H., some reactions with Lindo's test for some of the bases in opium, 811.
- Hübner, H., action of acid chlorides on amido-derivatives, 407.
- action of amyl iodide on anhydrobenzoyl-diamidobenzene, 145.
- anhydro-bases, 142.
- di- and tri-bromobenzoic acids, and dibromosalicylic acids, 148.
- dinitrobenzoic and nitramidobenzoic acids, 148.
- nitro-acetophenone, 147.
- orthonitro- and orthoamido-benzonitril, 140.
- reactions of amides with cyanogen iodide, 142.
- reactions of para-, meta-, and ortho-nitrobenzanilide, 142.
- replacement of the diazo-group by SO_3H , 145.
- salicylic acid and nitric acid, 150.
- Huggenberg, C., ethyl α -ethylacetosuccinate and α -ethyl-succinic acid, 782.
- Hunaeus, P., styrolene alcohol (phenyl glycol), 223.
- Hunnius, H., some derivatives of acetophenone, 147.
- Hunt, S., a new ore of copper and its metallurgy, 480.
- Huppert, analyses of the acid well (Sauerbrunnen) at Bilin, 209.
- Hurter, F., action of the Glover tower, 614, 689.
- Husson, C., on fats used for the adulteration of butter, 249.
- Hutchings, W. M., aluminium plates as a support in blowpipe work, 166.

I.

- Ihléc, E., pyromeconic acid, 34.
- Iles, M. W., and Ira Remsen, oxidation of xylene sulphonic acids, 412, 724.
- — oxidation of xylenethiamide, 505.
- — new mode of formation of α -oxyisophthalic acid, 584.
- Iles. See also Fahlberg.
- v. Jonstorff, Th. I., molecular changes, 108.
- Isambert, M., dissociation of barium carbonate, 373.
- dissociation of chlorine hydrate, 370.
- heat produced by the union of metallic chlorides with ammonia, 697.
- sulphur chloride, 553.

J.

- Jablochkoff, P., a battery in which the carbon electrode is the one attacked, 191.
- Jackson, C. L., and W. Lowery, parabromobenzyl compounds, 64.
- Jackson, C. L., and J. H. White, substituted benzaldehyde, 728.
- Jackson, O. R., and H. B. Hill, bromomucic acid, 402.
- Jackson. See also Mabery.
- Jacobson, O., xylenesulphonic acids and xylenols, 410.
- oxytoluic and oxyphthalic acids, 582, 583.
- iso-oxyceinnamic acid from carvacrol, 731.
- Jaederholm, A., the colouring matter of blood, 236.
- Jaffe, M., behaviour of benzoic acid in the organism of birds, 584.
- excretion of indican under physiological and pathological conditions, 442.
- ornithuric acid and its derivatives, 585.
- Jaffé. See also Meyer.
- Jahn, H., analyses of the warm springs of Thermopylæ, 391.
- Jahns, E., behaviour of borax to salicylic acid and of boric acid to salicylates, 499.
- Jandousch, A., comparison of the action of sodium-amalgam and of zinc and sulphuric acid, as reagents for Hager's arsenic test, 243.
- Japp, F. R., and G. Schultz, phenanthrene-carbonic acid, 77.
- Japp. See also Anschütz.
- Jarmain, G., on the water used in dyeing woollen goods, 625.
- Jawein, hexylenes, 961.
- Jegel, B., mill-dust, and a coloured alga present in flour, 922.
- Jehn, C., butter analysis, 685.
- valuation of vinegar, 345.
- Jieinsky, F., is the decolorising power of animal charcoal due to the carbon or to porosity? 266.
- Jobst, J., on quinine tannates, 678.
- Jobst, J., and O. Hesse, a new constituent of coto bark, 733.
- Joclet, v., preparation of liquid indigo-carmin, 625.
- Jodin, V., vegetable glycogenesis, 239.
- Jørgensen, S. M., action of silver nitrate on hydroplatinic chloride, 200.
- anhydrous sodio-ferric pyrophosphate, 199.
- platinosoplatinic oxide, 200.
- Johnson, S. W., and R. H. Chitten-

- den, on Schweitzer's "new acid ammonium sulphates," 373.
- Joly. See Paquelin.
- Jordan, P., manufacture of ferro-manganese and volatility of manganese, 772.
- Jousselin, M., nitrosoguanidine, 132.
- Jüdcell, G., preservation of meat, 456.
- Jungfleisch, E., production of racemic acid in the manufacture of tartaric acid, 138.
- Jungfleisch. See also Boissaudran.

K.

- Kachler, J., borneo camphor, 512.
- compounds of the camphor group, 512.
- Kämmerer, H., and E. Benzinger, iodated derivatives of phenol, 574.
- Kämmerer, H., combustion of nitrogen: a lecture experiment, 110.
- Kaiser, photographic printing in natural colours, 613.
- Kalman, W., influence of gypsum solution on soils, 803.
- Kamenski, J., action of the halogens on guanidine salts, 563.
- Karmarsch, K., laws regulating volume changes in the formation of alloys, and in mixtures of liquids, 367.
- Kasantseff, M., alloys of gold and mercury, 937.
- Kaschirsky, M., action of certain oxides on the chlorhydrin of ethylene glycol, 21.
- Kathreiner, F., tannin estimation, 612, 687.
- Kaufmann, C., decomposition of blood by *Bacillus subtilis*, 593.
- Kayser, R., electrolytic deposition of nickel, 537.
- warming with hot air, 250.
- Keller, F., the glaze of red Roman pottery, 618.
- Kellner, O., utilization of Norwegian fish-guano, 240.
- work and digestion of a horse, 992.
- Kellner. See also Wolff.
- Kern, S., analysis of glass, 555.
- chromium crucible-cast steel, 177.
- metallurgical notes, 354.
- presence of hydrogen peroxide in the atmosphere, 267.
- presence of oxygen in Bessemer-metal, 649.
- sulphur and phosphorus in iron, 1019.
- the solution of molybdate of ammonium in nitric acid, 375.

- Kerpelg, behaviour of phosphatic pig-iron during the puddling process, 815.
- Kessel, F., brominated and chlorinated ethyl acetate, 133.
- brominated ethyl ether, 128.
- double salts of cuprous thiosulphate, 113.
- Kestroff, A., new mode of formation of phenetol, 145.
- Kielmeyer, A., red colour reaction of wood, 626.
- Kinnicutt. See Anschütz.
- Kirchoff, C., influence of impurities on the desilvering of lead, 761.
- Kisielinski, E., the action of bromine on succinimide, and a new mode of formation of fumaric acid, 43.
- Klein, D., reaction of boric acid in presence of mannite, 555.
- reaction of some polyatomic alcohols, 564.
- Klein, O., compounds of organic bases with mercuric chloride, 667.
- Klein. See also Pinner.
- Klinger, H., action of methyl iodide on sulphur, 128.
- thioaldehydes, 132, 720.
- Klinger. See also Berthsen.
- Knap, C., analysis of precious garnet from the Cape of Good Hope, 946.
- Knapp and P. Ebell, ultramarine, 834.
- Knecht, W., some determinations of molecular weight, 264.
- Knop, A., dysanalyte, a mineral resembling pyrochlore, 385.
- the schorlomite of the Kaiserstuhl, 118.
- Koch, A., efflorescence of Glauber salt at Klausenburg, 943.
- Köhler, H., behaviour of hydrogen sulphide with carbon dioxide at a red heat, 372.
- Köhler, W., production of zinc by a continuous process in the blast furnace, 618.
- Koenig, J., and L. Mutschler, estimation of free oxygen dissolved in water, 164.
- Koenig, G. A., occurrence of astrophyllite, arfvedsonite, and zircon in El Paso Co., Colorado, 389.
- Koenig, J., on irrigation with well or river water, 447.
- Koenigs, W., action of nitrous acid on benzene-sulphinic acid, 573.
- action of sulphurous acid and the sulphinic acids upon diazo-compounds, 219.
- Kohlrausch, F., maximum density of a mixture of sulphuric acid and water, 704.
- Kohlrausch, O., refining sugar by the use of alumina, 690.
- Kopp, H., Naumann's method of determining molecular weights, 643.
- Krafft, F., distillation of castor oil under reduced pressure, 292.
- undecolic acid, 853.
- Kraft, O., salts of tetracrylic and diaterpenylic acids, 28.
- Krauch, C., unorganised ferment in plants, 996.
- Kraus, C., artificial production of chlorophyll in living plants in the absence of light, 239.
- Kraushaar, C., decomposition of soda-waste for the preparation of sulphur, 171.
- Kraut, R., cymene and cymyl alcohol, 973.
- Krauth, C., estimation of some of the chief adulterations of ground coffee, 449.
- Kressner, G., synthesis of pyrotartaric acid by means of ethyl α -methyl-acetosuccinate, 783.
- Krestownikoff, M., acrolein hydrochloride, 23.
- Kretschy, M., trisulpho-oxybenzoic acid, 731.
- Kretzschmar, M., analysis of butterfat, 344.
- Kreuzhage. See Wolff.
- Kriloff. See Flavitzky.
- Krinos, G., trimellitic acid, 230.
- Kundt, A., explanation of the experiments of Dufour and Muget upon the diffusion of gases, 7.
- Kurbatoff. See Beilstein.
- Kupferberg, H., oxybenzoic acid, 318.
- Kyle, J. J. Y., composition of the rivers Parana and Uruguay, 959.

L.

- Ladenburg, A., absolute boiling points, 633.
- aldehydines, a new class of bases, 571.
- derivatives of orthotoluidine, 54.
- derivatives of thymol, 60.
- method for distinguishing between orthodiamines and their isomerides, 571.
- quantivalence of nitrogen, 10.
- remarks on Schiff's paper "Aldehyde derivatives of amines and carbamides," 669.

- Laiblin, R., nicotine, 433.
- Lamy, A., solubility of lime in water, 373.
- Landgrebe, O., cyanoguanidines, 216.
- Landolph, F., a new method of synthesis of the hydrocarbons, 721.
- action of boron fluoride on anethol: fluohydrate of boron fluoride, 576.
- action of boron fluoride on camphor, 586.
- action of boron fluoride on carbon compounds, 482.
- action of boron fluoride on certain classes of organic compounds, 774.
- Landolt, H., optical rotation, 1, 457.
- Landrin, E., ammoniacal citrates, 785.
- Landshoff, L., methyl derivatives of α -naphthylamine, 587.
- Lange, W., silicon compounds in plants, 682.
- Laskowsky. See Sabanin.
- Laspeyres, H., adamine crystals from laurium, 943.
- an aragonite crystal from Oberstein on the Nahe, 207.
- a polysynthetical augite from Bell, near Laach, 208.
- crystallographical and optical examination of glauberite, 382.
- crystals of analcime from the Kerguelen Islands, 278.
- imperviousness of the adjusting materials of air-pumps to aqueous vapour, 469.
- penetration twins of orthoclase from Cornwall, 277.
- Latour and Magnier de la Source, quercetagein, 80.
- Latschinoff, P., products of oxidation of cholic acid from ox-bile, and of the acids derived from cholesterin, 590.
- Laubenheimer, A., nitro-compounds, 405.
- ortho-dinitro-compounds, 975.
- Lauffer, E., method of separating quartz from mixtures with silicates, 336.
- Lauterbach, P., a new process for the preparation of nitroethane, 844.
- Lawes. See Gilbert.
- Lea, G. M. C., ammonio-argentic iodide, 936.
- some reactions of silver chloride and bromide, 650.
- theory of the action of certain organic substances in increasing the sensitiveness of silver haloids, 191.
- Le Bel, J. A., action of hydrochloric acid on the olefines, 19.
- Le Bel and Greene, new method of preparing normal dimethylethylene, 773.
- Leeds, A. R., colorimeter for quantitative analysis, 807.
- Lehmann, J., estimation of casein and fat in milk, 95.
- influence of food on the formation of bone, 992.
- milk analysis, 1014.
- the pyrogenic quartz in the lavas of the Lower Rhine, 477.
- Lemoine, G., chemical equilibrium between hydrogen and gaseous iodine, 265.
- Lencauchez, A., condensation of zinc vapours in the blast-furnace, 759.
- Leo, H., substituted thiamides, 409.
- Leonhardi, adulteration of etherical oils, 811.
- Lepel, F. v., absorption spectra of certain colouring-matters in various solvents, 925.
- detection by the spectroscope of the adulteration of red wines, 168.
- Lermontoff, Julie, action of tertiary butyl-iodide on isobutylene in presence of calcium oxide, 963.
- Lescœur, H., action of chlorine on ethyl bromide, 718.
- Lescœur and Morelle, identity of inulin from different sources, 970.
- Less, E., conductivity for heat of rocks and woods, 693.
- Letny, A., decomposition of petroleum by heat, 961.
- Lettsom, rhabdophane, a new mineral, 652.
- Levy, A., atmospheric ozone, 703.
- estimation of ammonia in the air and in rain-water, 243.
- Lewy. See Tiemann.
- Liebermann, C., constitution of quinhydrone, 145.
- dioxybenzophenone from rosaniline, 887.
- formula of quinhydrone, 63.
- polythymoquinone, 418.
- remarks on violacein and cupitton, 799.
- the colouring matter of birds'-egg shells, 590.
- Liebermann, C., and O. Burg, decomposition of brown-coal tar-oils at a red heat, 861.
- Liebermann, C., and A. Goldschmidt, ethylenimid-argentic nitrate, 286.
- Liebermann, C., and H. Platt, pseudo-purpurin, 77.
- Liebermann, L., action of animal charcoal on salts, 109.
- remarks on Kosmann's "Research on glycerin, cellulose, and gum;

- transformation of glycerin into glucose, 287.
- Lietzenmayer, O., absorption of hydrogen by copper spirals, 377.
- Limpach, L., oxidation-products of stearolic acid, 403.
- Limpach. See also Conrad and Wislicenus.
- Limpriht, H., azoxy-, azo-, and hydrazo-compounds, 722.
- decomposition of benzenesulphonic acids by water and by acids, at high temperatures, 220.
- on brominated benzene-sulphonic acids, 492.
- reduction of nitro-compounds by stannous chloride: estimation of NO_2 , 335.
- structure of the diazo-compounds of benzenesulphonic acids, 222.
- Lindbaum, C. G., cyanogen-compounds of gold, 131.
- Lindemann, O., estimation of silver and gold in cupelled silver, 530.
- Lindner, A., zinc-ores from the New Helene Mine at Schorley, near Beuthen, Silesia, 475.
- Lindo, D., action of ferric chloride and sulphuric acid on opium bases, 678.
- coloured crystalline compounds from brucine, 437.
- glucose reaction, 1012.
- morphine reactions, 1013.
- test for elaterin, 344.
- test for santonin, 167.
- Linnemann, E., decomposition of propyl-glycol at high temperatures, 776.
- Lipp and Schneider, analyses of iron ores, 838.
- Lippmann, depolarisation of electrodes by metallic solutions, 926.
- Lippmann, E. O. v., occurrence of tricarballic acid in beet-juice, 662.
- Lippmann, E., and Vortmann, compounds of cobalt chloride with aniline, 787.
- Lismann, A., phosphorus in copper, 538.
- Lissenko, K., Russian and American kerosin, and the employment of heavy mineral oils in lamps, 539.
- Livache, A., abnormal solubility of certain bodies in soaps and alkaline resins, 1021.
- Livoff, vinyl bromide, 963.
- Livon, C., and J. Bernard, diffusion of salicylic acid in the animal economy, 994.
- Lloyd, F., artificial malic acid from fumaric acid, 784.
- Lockyer, N., elements present in the layer of the sun's atmosphere, which produces the inversion of the spectral lines, 357.
- Loew, O., rubidium as a substitute for potassium in the plant cell, 939.
- Lohse, O., use of oil-gas for gas blow-pipes, 467.
- Lommel, E., fluorescence, 358.
- Long, J. H., action of steam on red-hot charcoal, 961.
- Lorin, M., use of dehydrated oxalic acid to distinguish the polytomic alcohols: chemical functions of inosite, 398.
- Louguinine, W., thermo-chemistry of some substituted acetic and benzoic acids, 768.
- thermo-chemical study of some phenol-derivatives, 832.
- Lowe. See Senier.
- Löwenthal, J., influence of polymerisation on chemical-compounds, 108.
- Lowery. See Jackson.
- Lubavin, N., on the nuclein of milk, 591.
- Lüdecke, O., the apophyllite of the Radanthal, 945.
- Lunge, G., determination of nitrous and nitric acids, 469.
- denitrating action of the Glover tower, 757.
- decomposition of sulphur-lyes from soda waste by hydrochloric acid, 755.
- on nitrogen trioxide prepared from starch and sulphuric acid, and that in the sulphuric acid chambers, 833.
- the boiling points of sulphuric acid of different concentrations, 553.
- Lunge, G., and F. Salathe, formation of sulphuric anhydride in the roasting of pyrites, 351.
- Lynn, J., morphine determinations, 612.

M.

- Mabery, C. F., and C. L. Jackson, para-iodobenzyl-compounds, 421.
- Macadam, S., paraffin oils and their action on metals, 355.
- Macagno, H., action of sunlight on the vine, 162.
- bottle-glass, 757.
- functions of vine-leaves, 90.
- Macdonald, J. W., analyses of cane and beet-root sugar ash, 624.
- Mach, E., the sugar in grapes, 130.
- Mackenzie, J. J., and E. L. Nichols, expansion of liquids and absorption of gases, 366.

- Maercker, action of diastase on starch, 969.
- Magnien. See St. Pierre.
- Mallet, J. W., chemical composition of guanajuatite or selenide of bismuth from Guanajuato, Mexico, 651.
- density of solid mercury, 273.
- on a fourth mass of meteoric iron from Augusta Co., Virginia, 959.
- production of magnesium nitride by smothered combustion of magnesium in air, 934.
- sipylite, a new niobate from Amherst Co., Virginia, 384.
- Maly, R., the means whereby acids are produced in the organism, 593.
- Maquenne. See Millot.
- Markoe, F. H., on the volatile oil of the leaves of *Myrica asris*, 799.
- Markownikoff, V., normal pyrotartaric anhydride, 30.
- Mascart, M., refraction of gases and vapours, 359.
- refraction of organic bodies in the gaseous state, 693.
- Maschke, a new creatinine reaction, 688.
- Matsumoto, Kaeta Akimori, derivatives of methyl-protocatechuic acid, 500.
- Matsumoto. See also Tiemann.
- Matthey, F., lignite-coke as a substitute for wine-black, 827.
- Matzkewitsch, distribution of zinc in the animal body after hypodermic injection, 593.
- Maumené, E. J., dietic acid, a new acid obtained by the action of potassium permanganate on sugar, 971.
- on alcoholic potash, 655.
- Mayençon, M., certain volatile products from burning coal mines, 380.
- Mayer, J., formation of glycogen in the liver, 905.
- Mazzara, G., tests for glucose, 686.
- Mehlis, T., heptioic acid from œnanthol (œnanthyllic acid) and some derivatives, 134.
- Mehlis. See also Weiske.
- Melikoff. See Werigo.
- Menschutkin, N., etherification of secondary alcohols, 127.
- etherification of phenols, 574.
- Mering, v., and N. Zuntz, influence of food on oxidation, 520.
- Merrill, N. F., preparation of dimethylaniline from trimethyl-phenylammonium iodide, 787.
- Mertens, K. H., compounds of picramide, 725.
- Mertens, O., some cyanides of acid radicles, 396.
- Merz, V., and J. Tibirica, a process for preparing formic acid, 288.
- Merz, V., and W. Weith, haloïd derivatives of anthracene and phenanthrene, 75.
- Merz. See also Diehl and Dietl.
- Metcalf, W., influence of heat on the structure of steel, 1019.
- Meunier, S., artificial formation of brochantite, 476.
- formation of the meteoric breccia from St. Catherine, Brazil, 713.
- Meyer, E. v., osmium oxysulphides, 14.
- Meyer, H., and M. Jaffé, origin of uric acid in the organism of birds, 443.
- — origin of uric acid in the organism of birds, 595.
- Meyer, L., atomic weight of glucinum, 557.
- incomplete combustion, 262.
- transpiration of vapours, 368.
- Meyer, P. J., action of heat on glycocines, 294.
- substituted thiohydantoins, 295.
- Meyer, R., soluble glass, 534.
- oxidation of cumic acid with potassium permanganate, 878.
- Meyer, V., conversion of chloral into dichloroacetic acid, 133.
- introduction of nitrogenous radicles into members of the fatty group, 396.
- vapour-density determinations, 263.
- Meyer, V., and J. Züblin, nitroso-compounds of the fatty series, 487, 659.
- Meyeringh, W., new double salts of hydroxylamine, 113.
- volumetric methods for the estimation of hydroxylamine, 335.
- Michael, A., action of bromine on ethylphthalylimide, 70.
- Michael, A., and A. Adair, aromatic sulphones, 415.
- Michael, A., and L. M. Norton, action of iodine chloride on aromatic amines, 406.
- Michael. See also Gabriel.
- Michaelis, A., and E. Benzinger, compounds of elements of the nitrogen series with aromatic organic radicles, 57.
- Michaelis. See also Gütter.
- Michler, W., action of aromatic sulphonic chlorides on dimethylaniline, 140.
- Michler, W., and A. Gradmann, derivatives of dimethylaniline, 299.
- Michler, W., and U. Hanhardt, dimethylamidophenyl-glyoxalic acid, 421.

- Miehle, G., synthesis of tricarballic acid, 490.
- Miller, O., isomeric nitrophthalic acids, 504.
- neutral ethyl salt of nitrophthalic acid, and Baeyer's oxyphthalic acid, 982.
- Miller, W. v., chemical compounds contained in liquid storax, 159.
- cinnamene, 885.
- substitute for litmus in titration, 527.
- Millot, A., and Maquenne, volumetric estimation of arsenic, 915.
- Miquel, P., presence of urea-ferment in the air, 680.
- Mixter, W. G., amylidenamine silver nitrate, 564.
- Mohl, H., olivine-rock, 119.
- Mohr, F., apparently anomalous decompositions effected by carbonic acid, 111.
- Moissan, H., two allotropic varieties of magnetic oxide of iron, 557.
- Moitessier, and R. Engel, dissociation of chloral hydrate, 719.
- Moller. See Drechsel.
- Monckhoven, carbon paper rendered sensitive without a chrome-bath, 919.
- Monier, E., action of oxalic acid on sodium silicate, 198.
- transparent hydrated silica, and hydrophane, 770.
- Montgolfier, J. de, isomerides and derivatives of camphor and camphol, 891.
- Moore, chalkophanite, a new mineral species, 115.
- Morawski, P., substituted crotonic acids from the pyrocitric acids, 213.
- Morelle. See Lescoeur.
- Morgan. See Albright.
- Morges, F., thermic researches on the chromates, 765, 832.
- Morin, H., saccharimetry, 167.
- vitreous fused saccharose, 657.
- Morley, H. F., Grove's gas battery, 463.
- Morrell, T. T., volumetric estimation of alcohol, 246.
- Morse, H. N., new method of preparing acetyl-amidophenols, 416.
- Morse, H. N., and I. Remsen, oxidation of ethyltoluene, 405.
- Morton, H., and W. E. Geyer, paraffins in commercial "water gas," 609.
- Moser, J., galvanic current between solutions of the same substance of different degrees of concentration, 463.
- remarks on Vogel's communication on "the difference of absorption spectra of one and the same body," 829.
- Mratschkowsky, on the amount of disodic orthophosphate in the serum of Herbivora, 519.
- Müller, A., action of potassium nitrite on nitraniline and acetanitroanilide, 140.
- purification and utilization of sewage, 164.
- Müller, F. C. G., the Bessemer process, 620.
- Müller, W., behaviour of normal urine to cupric acetate and sulphate, and to a solution of cupric acetate containing free acetic acid, 531.
- value of cupric acetate as a delicate test for grape-sugar, 531.
- Müller, W., and J. Hagen, compounds of grape-sugar with cupric oxide and potassium, 968.
- supposed compounds of grape-sugar with cupric hydrate, 967.
- volumetric estimation of sugar in human urine and in animal liquids, 531.
- Müller-Erbach, W., affinity of sodium hydrate and calcium chloride for water, 471.
- Müllhäuser. See Hell.
- Müntz. See Schloesing.
- Muir, M. M. P., note on an edible clay from New Zealand, 120.
- Mulder, E., synthesis of cyanacetylureas and murexone, 786.
- Muller, P., fermentation of beer, 913.
- Muller, W. von, methylcrotonic acid, 292.
- Munier. See Hecht.
- Munk, J., effect of glycerin on the processes of fermentation, 526.
- Muntz, A., researches on the intracellular alcoholic fermentation of vegetables, 527.
- Muntz. See also de la Loire and Schloesing.
- Musculus and Gruber, starch, 778.
- Muter, J., adulteration of milk with glycerin, 684.
- Mutschler. See Koenig.

N.

- Nagai, N., diaceto- α -homoprotocatechuic acid, 579.
- Nagai. See also Tieman.
- Nägeli, chemical composition of yeast, 911.
- Nasse, O., influence of gases on fermentation, 90.
- Nasse, H., transudation and diffusion

through the walls of the capillary vessels, 519.

Natanson, S., and G. Vortmann, tin phosphide, 13.

Naumann, A., distillation of benzene, toluene, and xylene by steam, 47.

— distillation of nitrobenzene, ethyl bromide, ethyl benzoate, and naphthalene by steam, 138.

— distillation of oil of turpentine and carbon tetrachloride by steam, 283.

— molecular constitution of vapours, 467.

— new method of determining molecular weights, 264.

— vapour-tensions of compounds, 263.

Negri, A. and G. de, analysis of the mineral water at Casteggio, 715.

— — calamine rich in indium, 708.

Neminar, E., an analysis of meyonite, 388.

Nencki, M., carbamine-sulpho-acetic acid (carbamin-sulphoglycollic acid), 663.

— decomposition of albumin by fused potash, 680.

— easy method of preparing trichlor-ethylidenelactic ether, 783.

— ethyl guanidine carbonate, 780.

— formation of melamine from guanidine, 774.

— processes of decomposition, 525.

Nessler, J., sulphuric acid contained in wines, 347.

Neuhöffer, G., and G. Schultz, action of amines upon chlorinated quinones, 62.

Nevolé, M., and J. Tcherniak, on ethylene cyanide, 964.

Neyreneuf, V., specific inductive capacity, 104.

Nichols. See Mackenzie.

Nietzki, R., aniline-black, 791.

— constitution of quinhydrone, 140.

— derivatives of hydrotoluquinone, 868.

— methyl-quinizarin, 154.

— nitranilic acid, 425.

— nitro-derivatives of hydroquinone, 866.

— nitro-derivatives of the hydroquinones, 499.

— preparation of quinone, 794.

— preparation of quinones and hydroquinones, 314.

Nilson, L. F., barium oxysulpharsenite, 13.

— platiodo-nitrites, 766.

— platonitrites and diplatonitrites, 274.

Nilson, L. F., and O. Petterson, specific heat of glucinum, 556.

Nordenskiöld, A. E., mineralogical notes: thorite and crytolite, 279.

Norton, L. M., action of ammonium sulphide on picramide, 417.

Norton, T. H., and J. Tcherniak, ethoxy-acetonitrile, 971.

— — glycolide, 775.

— — monochlorethylacetamide, 972.

— — new method of preparing ethyl-glycolate, 971.

Norton. See also Michael.

O.

Oebbecke, R., a contribution to our knowledge of palæopierite and its products of decomposition, 477.

Ogier, J., action of ozone on iodine, 469.

— preparation of iodine trioxide, 11.

Oppenheim. See Wallach.

Orlovsky, M., ethenyltricarboxylic acid, 30.

Orth, A., absorption of ammonium-nitrogen by soils and subsoils, 1002.

Ost, H., phenoldicarboxylic acids and oxytrimesic acid, 796.

— solubility of the three oxybenzoic acids and of benzoic acid in water, 796.

Ostwald, W., chemical volumes, 196.

Otto. See Beckurts and Pauly.

P.

Pagel, A., fermentation of Norwegian fish-guano and steamed bone-meal, 163.

Pagliani, S., action of sulphurous anhydride on alcohols, 654.

— bye-products obtained in the preparation of aldehydes by Piria's method, 287.

— formation of alcohols in Piria's process for the preparation of aldehydes, 653.

Pajkull, S. R., homolite, a mineral from Brevig, Norway, 278.

Paquelin and Joly, physiological action of the hypophosphites, 994.

Pasteur, theory of fermentation, 995.

Paternò, E., derivatives of tetrachlor-ether, 656.

— identity of usnic and carbusnic acids, 882.

— preparation of carbon oxychloride, 853.

- Paternò, E., and Colombo, reactions of bromocymene, 139.
 Paternò, E., and P. Spica, hydrocarbon from betulin, 569.
 ——— propyl-isopropyl-benzene, 138.
 ——— propyl-isopropyl-benzene and propylbenzoic and homoterephthalic acids, 296.
 Pauly, C., and R. Otto, formation and constitution of benzene and para-toluenedisulpho-dioxides, 414.
 Pavloff, action of dilute sulphuric acid on tetramethyl-ethylene glycol, 965.
 Pawlow, A., tetramethylethylene, 561.
 Peligot, E., composition of ancient glass and crystal, 646.
 Pellet, H., action of various substances on crystallisable sugar, 719.
 ——— a new copper solution for the estimation of glucose, 612.
 ——— distribution of salts in the soil, 804.
 ——— influence of the alkalinity of different substances on the rotatory power of sugar, 22.
 Perewoznikoff, A., synthesis of fat, 238.
 Perkins, F. P., butter analysis, 685.
 Perry. See Ayerton.
 Persoz, J., action of hydrochlorides of the amines on glycerin, 966.
 ——— preparation of potassium nitrite, 471.
 Petrieff, the chemical nature of mesoxalic acid, and preparation of tartroic acid, 490.
 Pettersson. See Nilson.
 Pfeiffer, E., on bischofite, a new mineral from the Stassfurt mines, 277.
 Piccard, J., cantharidin, and an acid derivative thereof, 233.
 Pictet, R., liquefaction of oxygen, 10.
 ——— sulphurous acid ice-machine, 251.
 Pierre, C. St., and L. Magnien, experiments on the ripening of grapes, 445.
 Piðverling, L., selenium-compounds, 129.
 Pinner, A., constitution of chloralacetamide; remarks on a previous paper, 294.
 Pinner, A., and F. Klein, conversion of nitriles into amides, 141, 491.
 ——— conversion of nitriles into imides, 864.
 ——— azobenzene-sulphonic acids, 865.
 Pisani, F., a new specific gravity apparatus, 364.
 Pisani, F., on letsomite, and the hypersthene and labradorite of the hyperite of Aveyron, 946.
 Pisati, G., the dilatation, viscosity, and capillarity of sulphur, 268.
 Philipp, J., silver ultramarine, 199.
 ——— ultramarine, 175.
 Phipson, T. L., melilotol, 576.
 ——— new mineral white pigment, 1017.
 ——— note on urea and crenate of ammonium in spring water, 754.
 ——— production of heat by chemical action, 696.
 ——— substances obtained from strawberry roots, 981.
 Planté, engraving on glass by electricity, 348.
 Plath. See Liebermann.
 Plecque, J. F., synthesis of ultramarine, 12.
 Plósz, P., action of glycerin on the animal organism, 525.
 Polacci, E., estimation of carbonates in presence of sulphites and hyposulphites, 165.
 ——— ripening of grapes removed from the vine, 595.
 ——— test for reducing substances, especially glucose, 685.
 Poleck and Biefel, toxicological experiments, 906.
 Porter, W. E., examination of hops, 348.
 Pratorius, H., nitro-derivatives of benzophenone, 420.
 Precht, H., action of ammonia on ethyl acetoacetate, 970.
 Preusse, C., and F. Tiemann, estimation of nitrous acid, 606.
 Pribram. See Handl.
 Primke, F., analyses of glass, 100.
 Prudhomme, M., new colouring-matters derived from anthracene, 78.
 Prunier, L., action of potassium hydrate on quercite, 778.
 ——— compounds of quercite, 211, 400.
 ——— physical properties of quercite, 131.
 Puchot, E., butylene and its derivatives, 20.
 Pulvermacher, battery with a single liquid depolarised by the action of atmospheric air, 829.
 Purgotti, E., guaiacum as a test for copper, 754.
 Pusch, T., bye-products and waste from the potash manufactories of Stassfurt and Leopoldshalle, and their influence on the land, 452.
 Puschl, P. C., the internal condition and latent heat of vapours, 194.

Q.

- Quincke, G., on the capillary angle and the spreading out of liquids on solids, 195.

R.

- Rademacher, preparation of sulphate of alumina for paper making, 618.
 Radloff, J., derivatives of pseudocumenesulphonic acid, 414.
 Rammelsberg, C., composition of *æschynite* and *samarskite*, 944.
 — determination of cuprous oxide present in copper, 92.
 — nepheline, monacite, and silver-bismuth glance, 476.
 — on the atomic weight of molybdenum, and on certain phosphomolybdates, 14.
 — polluxite and petalite, from Elba, 387.
 Rath, G. vom, a peculiar twin-formation of cobalt-speiss, 117.
 — pandermite, a mineral discovered by Muck, 710.
 — quartz crystals from Kremnitzka. Crystallographic observations on the copper of Lake Superior. Unusual and anomalous faces on garnet, from the Pfischthal, in Tyrol, 944.
 — rose-red anorthite, from the Pesmeda Alp, 713.
 — some minerals formed by the volcanic vapours of Vesuvius, 475.
 Raumer, E. v., lias rocks of France, 955.
 Rechenberg, V., action of iodine on guanidine carbonate, and on nitrosguanidine, 719.
 Rehs, G., phenanthrol, 76.
 Reichardt, E., examination of wine as to the presence of glycerin, colouring-matter, &c., 93.
 — investigation of beers, especially in relation to acidity, 347.
 Reimann, M., precipitated sulphur in dyeing wool with eosin, 824.
 — use of precipitated sulphur in dyeing, 356.
 Reimer, C. L., action of chloroform on α - and β -oxyisophthalic acids in alkaline solution, 881.
 — reduction of aldehydo-oxybenzoic acids to alcoholic acids, 880.
 Reimer. See also Tiemann.
 Reincke. See Wallach.
 Reinhard, G., action of sulphuryl chloride on resorcin, 222.

- Reinhard, G., action of sulphuryl chloride on resorcin and on ethylene glycol, 726.
 Reischauer, C., juglone or nucin, 233.
 Remsen, I., constitution of xylene-thiamide, 505.
 — a lecture experiment, 370.
 — xylene-sulphamides, 56.
 Remsen. See also Iles and Morse.
 Reuter, A., on pseudocumenol and the constitution of pseudocumenesulphonic acid, durene, &c., 413.
 Reverdin, F., preparation of alcoholic chlorides and their application in the manufacture of colouring matters, 283.
 Reynolds, J. E., rapid estimation of urea, 448.
 Richards. See Cheney.
 Riche, A., bismuth subnitrate, 841.
 — estimation of manganese, lead, copper, zinc, and nickel, and their alloys, 750.
 Richet, C., lactic fermentation of milk-sugar, 567.
 — acid of gastric juice, 520.
 Rilliet. See Ador.
 Risler, J., on some compounds analogous to chrome iron, 936.
 Ritthausen, H., action of phosphoric acid on calcium carbonate, 198.
 — albuminoids of seeds, 81.
 — amount of fat in commercial gluten, 249.
 — analyses of fodder, 241.
 — estimation of nitrogen in plant albuminoids, 533.
 — presence of stearic acid in the grain of rye, 239.
 — protein from *Bertholletia* (Para-) nuts, 518.
 Robinet, E., detection of salicylic acid in wines and in urine, 247.
 Römer. See Schunck.
 Rössler, C., separation of glucinum, 606.
 Rohrbeck, H., α -methyl- β -oxybutyric acid and α -methyl-crotonic acid, 136.
 Röhre, R., action of reducing agents on brucine previously dissolved in nitric acid, 679.
 Rolin, W., ethyl isobutylacetoacetate, methyl-isoamylcarbinol, and isobutylacetic acid, 486.
 Romeny, J., methylenemethylamine, 718.
 Roscoe, H. E., note on metallic niobium, and a new niobium chloride, 272.
 — specific gravity of the vapours of chlorides of lead and thallium, 937.
 Roseleur, silver plating, 538.
 Rosenstiehl, A., comparison of oxy-anthraflavone with isopurpurin, 677.

Rosenstiehl, A., nitro-alizarin, 231.
 — purpuroxanthin-carbonic acid and anthradavone, 428.
 Rosenthal and Möller, thermo-electric temperature determinations, 104.
 Rosenwasser, M., colchicum seed, 327.
 Ross, D. W., *Garrya fremonti*, 327.
 Rossetti, F., temperature of flame, 262, 467, 694.
 Rössler. See Gerichten.
 Roster, G., mineralogical notices from Elba, 281.
 Roswag and Geary, purification of raw lead and elimination of the silver, 819.
 Rother, active principle in Persian insect powder, 801.
 Roussille, A., research on the ripening of olives, 596.
 Rubner, M., composition of meat impregnated with common salt, 627.
 Rudolph, C., action of iodine on phenyl-mercurammonium chloride, 422.
 Rudolph. See Salkowski.
 Rücker, A., methylcrotonic acid, 292.
 Rühlmann, R., on the differences of affinity of chlorine, bromine, and iodine as multiples of the same constant, 634.

S.

Sabanin, A., and N. Laskowsky, reaction of citric acid, 342.
 — — respiration in the ripening fruits of poppy and rape, 333.
 Sachs, T., curarine, 517.
 Sachsse, R., butter analysis (Hehner's method), 611.
 — new reaction of chlorophyll, 516.
 Sachtleben, R., tri-isobutylamine, 849.
 Salathe. See Lunge.
 Salet, G., vapour-density of ammonium sulphide, 645.
 Salkowski, E., behaviour of uric acid absorbed by the intestinal canal of the dog, 525.
 Salkowski, H., and C. Rudolph, constitution of dinitro-anisic acid and its derivatives, 72.
 Salkowski, H., derivatives of triamido-benzene, 140.
 — double salts of the organic acids, 72.
 Salkowski, E., occurrence of allantoin and hippuric acid in dog's urine, 594.
 Salomon, G., formation of xanthine

derivatives by the action of pancreas ferment on albumin, 588.
 Salter, T. W., some new thallium pigments, 454.
 Salzmann, M., and H. Wichelhaus, euxanthone, 79.
 — — preparation of benzene from brown-coal tar-oil, 860.
 Santos, J. R., analysis of a remarkable iron slag, 1019.
 — examination of the products of weathering of allanite, 947.
 — silver arsenite insoluble in aqueous ammonia, 936.
 Sauer, A., and E. Ador, estimation of nitrogen in the nitroglycerin of dynamite, 165.
 Sauer. See also Ador.
 Saur, R., ethylmethylacetylacetic ether, ethylmethylacetic acid and α -ethylmethyl- β -oxybutyric acid, 27.
 Saytzeff, A., isomeric caproic acids, 566.
 Scheurer. See Despierres.
 Scheurer-Kestner, A., action of sulphuric acid on platinum, 650.
 — estimation of calcium tartrate in crude tartar, 687.
 — remarks on the analysis of crude tartars, 810.
 Schiff, H., acetylene-carbamide or acetylene-urea, 294.
 — aldehyde derivatives of amines and carbamides, 668.
 — decomposition of ethyl borate, 287.
 — formation of digallic acid, and on the nature of tannin, 673.
 Schiff, R., constitution of pyrrol, 216.
 — furfuralamide and furfural, 45.
 — nitrosofurfurine and oxynitrosofurfurine, 657.
 — some decompositions of strychnine, 679.
 Schiff, R., and G. Tassinari, ammonia-derivatives of chloral, 22.
 — — monobromopyromucic acid, 721.
 Schimpen, W., glauberite and bloedite of Pendschab, 118.
 Schlagdenhauffen and F. Wurtz, behaviour of the thiocyanates of potassium and ammonium in presence of oxygen acids and of some metallic oxides, 36.
 Schloesing and Müntz, nitrification by organised ferments, 163, 597.
 Schmidt, A., adulteration and testing of beer, 755.
 Schmidt, E., formation of tertiary amines by the synthesis of organic acids, 848.
 — veratrine, 516.

- Schmidt, E. B., action of halogen sulphur compounds on aniline, acetanilide, and benzene, 974.
- Schmidt, M. v., action of bromine on phenoldisulphonic acid, 725.
- Schnapp, H., diethyl- β -oxybutyric acid, 293.
- Schneider. See Lipp.
- Schöne, E., atmospheric hydrogen peroxide, 552, 703.
- peroxide of hydrogen, 931.
- Schönn, J. L., absorption bands of water, petroleum, ammonia, alcohol, and glycerin, 693.
- Schorlemmer. See Dale.
- Schotten, C., derivatives of parahomo-salicylic aldehyde, 877.
- Schotten. See Tiemann.
- Schrage, F., the quinine alkaloïds and potassium ferrocyanide, 903.
- Schraube. See A. Baeyer.
- Schrauf, A., gismondine, 386.
- morphological studies of brookite, 115.
- Schreiner, cow's milk, 992.
- Schroëckinger, J. v., szmikit, a new manganous sulphate, 382.
- Schroeder, H., molecular volumes of the silver salts of organic acids, 133.
- law of molecular volumes or steres, 769.
- law of volumes in solid bodies, 927.
- Schülerin, M., action of biliary acids on the alimentary canal, 161.
- Schuhmeister, J., heat-conductivity of cotton, wool, and silk, 831.
- Schuler. See Bauer.
- Schuller, A., and v. Wartha, calorimetric researches, 4.
- Schultz, G., benzerythrene, 323.
- constitution of phenanthrene, 511.
- Schultz. See also Anschütz, Japp, and Neuhöffer.
- Schulze, E., estimation of ammonia in vegetable products, 608.
- formation of sulphates by the decomposition of albumin in germinating plants, 909.
- separation of cholesterin, 612.
- Schulze, E., and J. Barbieri, the albuminoïds and amides contained in potatoes, 329.
- leucine from young pumpkin plants, 857.
- occurrence of aspartic acid and tyrosine in the young shoots of the gourd, 663.
- Schulze, E., and A. Urich, nitrogenous constituents of mangold-wurzel, 84.
- Schunck, E., indigo-blue from *Polygonum tinctorium* and other plants, 885.
- Schunck, E., and H. Roemer, anthraflavone and a new dioxyanthraquinone, 77.
- anthrarufin, a new bioxyanthraquinone from meta-oxybenzoic acid, 984.
- comparison of ϵ -purpurin with purpuroxanthincarbonic acid, and on anthraflavone, 509.
- derivatives of flavopurpurin, 322.
- Schuster, M., optical character of tridymite from the Euganean Hills, 945.
- Schützenberger, P., allotropic condition of metals, 840.
- allotropic modification of copper, 706.
- beer yeast, 234.
- combustion in the eudiometer, 548.
- composition of wool, 592.
- Schwab, J., action of alcoholic soda on etheric nitro-compounds, 130.
- Schwarz, H., new explosives, 350.
- preparation of copal varnish; the composition of copal and its alteration by fusion, 627.
- purification of gas, 178.
- techno-chemical communications:—1. Analysis of the smoke of Virginian cigars. 2. Lead from Raibl. 3. Brass colouring, 188.
- two methods of getting sugar from molasses, 179.
- Schwebel, P., action of bromine-water and of nitrous acid on phenyl-glycine, 795.
- aromatic hydantoïns, 301, 798.
- Schwebel. See also Cech.
- Seichilone, S., dilatation of fused sulphur, 553.
- Scribani, F. D., detection of nitric acid in commercial lemon-juice, 914.
- Seidler, P., chloronaphthylamine, 983.
- Senier, H., note on *Rheum officinale*, grown in England, 240.
- Senier, A., and A. J. G. Lowe, the colour of podophyllum resin, 326.
- Sestini, F., estimation of proteïds in forage, 740.
- liquorice root, 740.
- Setschenoff, on the constituents of blood-serum by which the absorption of carbon dioxide is determined, 519.
- Shadwell. See Claisen.
- Shenstone, W. A., false angostura bark and brucine, 326.
- Shuttleworth, E. B., effect of intense cold on ferric hydrate, 936.
- Sie, G. dal, on the fatty matter of *Vateria indica* or piney tallow, 764.

- Siemens, preparation of iron and steel direct from the ore, 619.
- Siemens, W., the electric conductivity of selenium, 361.
- Silliman, B., method of imparting sonorousness to soft metallic alloys, 97.
- Sipöcz, L., miargyrite and kenngottite, 17.
- Sjögren, A., baryto-calcite from Laangban, 942.
- behaviour of gadolinite, orthite, and similar minerals under the microscope, 387.
- manganosite and pyrochroite from the Mossgrube, Nordmark, Wernmland, 279.
- Skraup, A., cinchonine, 157.
- Skraup, Z. H., hydro-derivatives of cinchonine, 434.
- potassium superferrocyanide, 35.
- Sloane, T. O'C., notes on coal analysis, 448.
- Smit, A., analysis of the leonhardite from Floitenthal, 713.
- Smith, E. F., new method for the decomposition of chromic iron, 683.
- Smith, E. J., on a dichlorosalicylic acid and a monochlorosalicylic acid, 879.
- Smith, H. L., contributions to the knowledge of the three isomeric oxybenzoic acids, 71.
- Smith, J. L., meteorites, 121.
- tantalite from Coosa Co., Alabama, 652.
- Smith, T. and H., gnoscopine, 987.
- meconoisin, a new derivative from opium, 801.
- Smith. See also Frerichs.
- Smolensky, P., on the amount of carbon dioxide in ground air, 555.
- Snelus, G. J., analysis of refractory materials, 921.
- Snyders, action of water and saline solutions on zinc, 838.
- Sokoloff, N., estimation of mineral poisons, 92.
- glyceric anhydride, 569.
- Sommaruga, E. v., action of ammonia on isatin, 507.
- ammoniac derivatives of isatin, 798.
- Sorakine, oxidation of diallyl, 962.
- Soret, J. L., researches on the absorption of the ultra-violet rays by various substances, 629.
- ultra-violet absorption-spectra of the gadolinite bases, 629.
- Soxhlet, H., preparation of permanent rennet essence, 826.
- reduction of alkaline copper solutions by saccharine bodies, 686.
- Spica. See Paternò.
- Spitzer, F. V., a new chloride of camphor, 586.
- Stackmann. See Doebner.
- Staedel, W., ketones of the aromatic series, 419, 671.
- regularities in the boiling points of chlorinated ethanes, 652.
- Stanford, C. C., manufacture of iodine, 169.
- Steiner, A., dithymolethane, 517.
- Steinheil, E., composition of the food of four miners at the Silberian Mine, Ems, 592.
- Stelzner, A., the limestones and calcium phosphates of Curaçao, 120.
- Stempnewsky, S., preparation of glycol, 850.
- Stevenson, M., iodides and iodates, 112.
- Stoddard, J. T., anhydrobenzamido-toluic acid and a new ketone base, 503.
- Stoddard, W., detection of saffron, 168.
- Stolba, F., monorubidium oxalate and its preparation from rubidium alum, 854.
- preparation of iron silicofluoride, 114.
- Storer, F. H., note on the ferment theory of nitrification, 932.
- Streng, A., chabasite, 478.
- Strohmer, F., constant ratio between the ash and the non-sugar ingredients of sugars, 624.
- working up of uranium residues from phosphoric acid determinations, 114.
- Stromer, P., and A. Claus, estimation of dextrose, with special reference to Sacchse's method, 246.
- Strumpf, M., isomeric sulpho- and oxy-naphthoic acids, 74.
- Stutzer, A., on relations between the chemical constitution of certain organic compounds and their physiological importance to plants, 445.
- Sugira, S., decomposition of ultramarine by carbonic acid, 834.
- Suida, W., isatin and its derivatives, 586.
- Svedmark, E., garnet in a Cambrian clay slate from Lemningstorp, Kirchsriel Motala, Ostgotland, 386.

T.

- Tanret, C., crystalline ergotinine, 81.
- ergotinine, 679.
- hydrate of ether, 565.
- pelletierine; alkaloid of pomegranate, 739.

- Tanret and Villiers, identity of muscular inositol and vegetable sugars of the same composition, 399.
- Tassinari. See R. Schiffr.
- Tatarinoff. See Despierres.
- Tcheriak, G., dibrom-ethyl-carbylamine, 132.
- Tcheriak. See Nevolé and Norton.
- Thenius, G., physical and chemical properties of wood-oils from wood-tar, 664.
- Thörner, W., paratolylphenylketone, 67.
- quinone derivative occurring in *Agaricus atromentosus*, 575.
- Thörner, W., and T. Zincke, certain pinacones and pinacolins, 223.
- conversion of α -benzoyl-toluene derivatives into anthracene derivatives, 231.
- pinacones and pinacolins, 425, 874.
- Thompson, L., new products from coal-gas, 404.
- Thompson, W., estimation of mineral oil or paraffin wax when mixed with other fats or oils, 1010.
- Thoms, G., composition of a white deposit in teak-wood, 1000.
- Thomsen, A. L., mono- and dimethyl-toluidine, 218.
- Thomsen, J., amount of water in hydroauric chloride, 13.
- Thresh, J. C., capsaicin, 233.
- Thudichum, F. L. W., cryptophanic and paraphanic acids, 81.
- Thum, F. A., zinc dust, 837.
- Tibrica. See Merz.
- Tieftrunk, F., formation of naphthalene, 819.
- Tiemann, F., protocatechuic series of compounds, 577.
- Tiemann, F., and L. Lewy, resorcin aldehyde, resorcylic aldehyde, and certain of their derivatives, 423.
- Tiemann, F., and Matsumoto, dimethoxybenzoyl-carbonic acid and its relation to α -homo-veratric acid, 503.
- Tiemann, F., and N. Nagai, synthesis of caffeic acid, and derivatives of caffeic and hydrocaffeic acids, 579.
- Tiemann, F., and K. L. Reimer, orth- and para-aldehydosalicylic acids, and the phenoldicarboxylic acids thence obtained, 225.
- Tiemann, F., and C. Schotten, oxytoluic aldehydes from the three isomeric cresols and the corresponding oxytoluic acids, 875.
- Tiemann. See also Preusse.
- Tobien, A., veratrum alkaloids, 389.
- Tönnies, P., action of bromine on pyromucic acid, 785.
- Tollinger, J., determination of the electric conductivity of certain liquids with a constant current, 103.
- Tommasi, D., the reducing action of hydrogen, 197.
- Toms, F. W., composition and properties of wood gunpowder, 923.
- Troost, L., vapour-densities, 365, 832.
- Truchot, P., decomposition of organic liquids by the electric spark, and production of the fundamental hydrocarbons, 210.
- fertility of volcanic soils, 604.
- Tschermak, mica-group, 711.
- Tunmer, P. v., malleable iron castings, 623.
- separation of phosphorus from iron, 352.
- Typke, P. and W., diazobenzene derivatives, 219.

U.

- Uhlemann, E., metachlorophenol, 978.
- Urech, F., mutual action of acetone, CyK, CySK, HCl, and H₂O, 488.
- Urich. See Schulze.

V.

- Van der Plaats, J. D., hyponitrous acid, 269.
- Varenne, E., preparation of œnolin, 438.
- Varenne, E., and E. Hebré, purification of hydrogen, 111.
- Vesque, T., absorption of water by plant roots, 681.
- Villiers, A., acid acetates, 25, 289.
- Villiers. See also Tanret.
- Vincent, C., decomposition of hydrochloride, hydrobromide, and hydriodide of trimethylamine by heat, 25.
- decomposition of trimethylamine hydrochloride by heat, 25, 400.
- the more volatile products obtained from crude benzin (from coal-tar?), 392.
- Vintseghau and Dietl, action of potash solutions on glycogen, 850.
- Violle, J., specific heat, and latent heat of fusion of platinum, 106.
- Voeleker, A., bats' guano, 741.
- Völker, O., Maxwell Simpson's synthe-

- sis of acrolein from di-iodacetone, 780.
 Vogel, universal spectroscope, 829.
 Vogel, H. W., Chastaing's new theory of the chemical action of light, 3.
 — detection of carbon oxide, 447.
 Vogel, W., variations in the absorption spectra of colouring matters, 545.
 Vohl, H., analysis of Marpingen well-water, 843.
 — composition of the Birresborn and Gerolstein mineral springs (at Pelm in the Eifel), 715.
 — mineral spring at Marpingen, Alsweler, Trèves, 714.
 — new mineral spring near Pelm, in the Kyll-Thal (Eifel), 559.
 Voigt, W., numerical value of the constants in Weber's formula, 465.
 Voit, C., conversion of uric acid into urea in the body of the dog, 444.
 — deportment of the shells of hen's eggs during incubation, 525.
 Volhard, J., use of ammonium thiocyanate in volumetric analysis, 743.
 Vortmann. See also Lippmann and Natanson.
 Vrba, C., cerussite from Rodna, in Transylvania, 942.
 — friseite, a mineral resembling sternbergite, 942.
 Vrij, J. E. de, sulphate of quinidine, 588.
 Vulpius, G., chloroform, 844.
 — gummy degeneration of almonds, 904.
 — ozone developer, 813.
 — solubility of phosphorus in acetic acid, 834.

W.

- Wachendorff, C., methyl-derivatives of anthracene, 232.
 — urethane-benzoic acid, 674.
 Wächter, F., on the velocity of molecules, 642.
 — relation between the atomic weights of the elements, 468.
 Wähli, G., putrefaction of elastin and mucin, 591.
 Waldschmidt, α -ethyl- β -oxybutyric acid and ethyl-crotonic acid, 136.
 Wagner, R. V., conversion of chromium oxide into chromic acid in the wet way, 618.
 — detection of cellulose by means of phloroglucin, 809.
 Wallach, O., certain reactions of chloral, 288.

- Wallach, O., mode of action of hydrocyanic acid, 285.
 Wallach, O., and O. Bischof, monochloroacetylene, 653.
 Wallach, O., and A. Gossman, acid imide chlorides and amidines, 669.
 Wallach, O., and F. Oppenheim, on the bases $C_6H_{2n-3}ClN_2$, 55.
 Wallach, O., and J. Reincke, tribromolactic acid, bromalide, and β -monobromacrylic acid, 403.
 Wanklyn, J. A., and W. J. Cooper, direct method for determining the calorific power of alimentary substances, 1013.
 — method of determining the amount of protein-compounds in vegetable substances, 247.
 — water analysis; determination of cellulose and modified cellulose in drinking water, 754.
 Warden, C. J. H., analysis of Behar opium ash, 1000.
 Wartha, v. See Schuller.
 Watson, W. H., action of various fatty oils on copper, 473.
 Websky, accidental colouring of zeolitic minerals, 711.
 — horn mercury from el Doctor, Mexico, 710.
 Weidel, H., cubebin, 80.
 — ixolyte, 17.
 Weidel, H., and G. Goldschmiedt, mineral spring of O'Tara in Hungary, 18.
 Weidel. See also Barth.
 Weinberg, E., monobromo- α -metaxylenesulphonic acid, 724.
 Weisbach, A., bismuthospherite, 116.
 — pyritous silver ores, 380.
 Weise, G., on the silicates of the shell limestone and their importance in the formation of soils, 447.
 Weiske, H., and T. Mehliis, digestion of cellulose by geese, 905.
 Weiss, E., concussion figures of galena, and corrosion figures of gypsum, 550.
 Weiss. See also Claus.
 Weith, W., action of PCl_3 on carbamides, 141.
 — action of sulphuric acid on malic acid, 138.
 Weith. See also Merz.
 Welborn, G., detection of alum in bread and flour, 1009.
 Weldon, W., soda manufacture, 534.
 Wenghöffer, L., action of sulphurous chloride and ethyl sulphuric chloride on aniline and anilides, 297.
 Wengo and Melikoff, preparation of dichloropropionic from glyceric acid, 289.

- Werner, H., chloroform containing amylalcohol, 821.
- Weselsky, P., and R. Benedikt, azophenols, 498.
- White. See C. L. Jackson.
- Wichelhaus, H., constitution of quinahydron, 63, 146.
- Wichelhaus. See also Salzmann.
- Widman. See Atterberg.
- Wiebe, H. T., expansion of the solid elements by heat, a function of the atomic weight, 549.
- Wiedemann, E., magnetic behaviour of chemical compounds, 545.
- some properties of alloys, 465.
- specific heat of vapours, its variation with the temperature, 193.
- Wiesner, phloroglucin as a test for woody fibre, 612.
- Wigner, G. W., diseased milk, 685.
- presence of non-coagulable nitrogen compounds in the cereals, 1014.
- Wildt, E., digestion in sheep, 991.
- Willgeradt, C., action of α -dinitrochlorobenzene on carbanilide, 141.
- action of α -dinitrochlorobenzene on thiocarbamide, 141.
- action of α -dinitrochlorobenzene on urea, azo-compounds, aromatic hydrocarbons, and sodium amalgam, 570.
- Williams, C. G., action of sodium on chinoline and lepidine, 432.
- Williams, J., salicylic acid, 576.
- Willm, E., analyses of the sulphurous mineral waters of Aix, in Savoy, and Marlioz, 561.
- mineral waters of Challes, in Savoy, 560.
- Wilm, T., behaviour of chlorinated ethyl formate with potassium cyanate, 851.
- Wilson, A. S., amounts of sugar in the nectar of various flowers, 997.
- Winkler, C., mineral analyses, 17.
- Winogradow, W., action of zinc-methyl and zinc-ethyl on bromacetyl-bromide, 483.
- Wischnegradsky, A., different amylenes and amyl-alcohols, 393.
- isomeric amylenes, 717.
- Wischnegradsky. See also Butlerow.
- Wislicenus, J., decomposition of acetoacetic ethers, 402.
- ethylvinyl oxide, 776.
- Wislicenus, J., and L. Limpach, synthesis of glutaric acid and α -methylglutaric acids, 783.
- Witt, O. N., action of primary amines on diphenyl-nitrosamine, 53.
- Wittstein, G. C., coloured sago, 542.
- compound of sodium and iron with a derivative of pyrogallol, 145.
- Wolfenstein, O., on the phosphorite beds of Estremadura, 385.
- Wolff, C., diallyl-acetoacetic ether and some of its derivatives, 293.
- Wolff, Funke, and Dittmann, experiments on the digestibility and nutritive power of meal-flour, 440.
- Wolff, E., W. Funke, and O. Kellner, composition and digestibility of lucerne hay, 909.
- Wolff, E., W. Funke, C. Kreuzhage, and O. Kellner, experiments on the digestive power of the horse, 521.
- Wood, H. C., note on the alkaloïd sophorine, 802.
- Wood, W. H., attempts to prepare alums containing aniline and rosaniline, 723.
- Woolworth. See Albright.
- Worontsoff, M., dipropylloxalic acid, 29.
- Wright, A. W., new process for the electrical deposition of metals and for constructing metal-covered glass specula, 251.
- Wroblewski, S. v., diffusion of gases in liquid, viscous, and solid bodies, 369.
- Wroblewsky, E., constitution of benzene derivatives, 977.
- new xylidine, 54.
- Wüllner, A., the specific heat of water according to the investigations of W. Munchhausen, 104.
- Wundt, E., derivatives of phenylenediamine, 667.
- Wurster, C., estimation of the mineral matter in paper, 528.
- glazing of paper, 184.
- quantitative estimation of the colour in paper, 823.
- Wurtz, A., polymerisation of ethylene oxide, 719.
- researches on the law of Avogadro and Ampère, 702.
- Wurtz, F. See Schlagdenhauffen.
- Wuster, C., sizing paper, 626.
- Wyss, G. glyoxaline, 23.
- Wyss. See Gnehm.

Y.

Yvon, composition of the cephalorachidian liquid, 83.

Z.

Zeisel, S., action of sulphuric acid on acetylene, 653.

- Zeltner, preparation of violet ultramarine, 771.
- Zepharovich, V. von, galenite from Habach, in Salzburg, 207.
- thuringite from the Zirmsee, in Carinthia, 391.
- Zetter, G., chlorine and bromine-derivatives of phenanthrene, 510.
- Zincke. See Breuer and Thörner.
- Zinin, amaric acid, 152.
- Zoeller, P., and Grete, E. A., production of ammonium nitrite, 372.
- Zorn, W., nitrosylsilver, 12.
- Zotta, V. v., action of potassium iodide on β -dibromo-propionic acid, 782.
- Züblin, J., azobenzeneacetonecarboxylic acid, 879.
- normal nitrobutane, 284.
- primary iso-nitrobutane, 284.
- Züblin. See also v. Meyer.
- Zulkowsky, K., constituents of aurin, 505.
- corallin and its components, 872.
- Zuntz. See Mering.
-